
Sta641

Statistical Packages and its Applications

Quiz—1, Midterm Quizzes



Community Site

www.psychologistscommunity.com

Question # 8 of 8 (Start time: 08:29:41 PM, 15 November 2023)

The process of arranging the items of a column in some sequence or order is known as:

Select the correct option

- ○ Arranging
- ○ Sorting
- ○ Filtering
- ○ Autofill

Psychologists Community

Click to Sc

The middle value of an ordered array of numbers is the

Select the correct option

○	Mid Point
○	Median
○	Mean
○	Mode

Psychologists Community

A formula in Excel always begins with an ____

Select the correct option

○	Comma
○	Space
○	Colon
○	Equal sign

Psychologists Community

Question # 4 of 8 (Start time: 08:24:02 PM, 15 November 2023)

Convert the value 0.125 into two-decimal places.

Select the correct option

- ○ 0.13
- ○ 0.120
- ○ 0.1
- ○ 0.12

Psychologists Community

Click to Save Answ

Question # 3 of 8 (Start time: 08:21:41 PM, 15 November 2023)

The cell reference for cell range of B2 to B10 is _____

Select the correct option

- B2+B10
- B2-B10
- B2:B10
- B2.B10

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1)

Question # 2 of 8 (Start time: 08:20:34 PM, 15 November 2023)

In Excel, Columns are labelled as ___ .

Select the correct option

- A, B, C, etc
- A1, A2, etc.
- A1, A2, etc.
- 1,2,3 etc

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1)

Question # 1 of 8 (Start time: 08:19:08 PM, 15 November 2023)

What is the intersection of a column and a row on a worksheet called?

Select the correct option

- ○ Value
- ○ Address
- ○ Column
- ○ Cell

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1) Quiz Start Time: 09:53 PM, 14 November 2023

Question # 8 of 8 (Start time: 10:03:19 PM, 14 November 2023) Total Marks: 1

Which is an example of correct formula?

Select the correct option

- SUM(A1:A2)
- =A1+A2
- =add(A1:A2)
- A1+A2

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1) Quiz Start Time: 09:53 PM, 14 November 2023

Question # 7 of 8 (Start time: 10:01:48 PM, 14 November 2023) Total Marks: 1

The Less than sign (<) is an example of _____ operator.

Select the correct option

- Arithmetic
- Less
- Conditional
- Logical

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1) Quiz Start Time: 09:53 PM, 14 November 2023

Question # 6 of 8 (Start time: 09:59:27 PM, 14 November 2023) Total Marks: 1

The Greater Than sign (>) is an example of _____ operator

Select the correct option

- Conditional
- Logical
- Orecter
- Arithmetic

Psychologists Community

Click to Save Answer & Move to Next Question

Question # 1 of 8 (Start time: 08:56:55 PM, 15 November 2023)

What is the median of the following set of scores?
18, 6, 12, 10, 14 ?

Select the correct option

- 18
- 14
- 10
- 12

Psychologists Community

Question # 2 of 8 (Start time: 08:57:58 PM, 15 November 2023) Total

What is meant by precision of data?

Select the correct option

- The number of decimals places stored in computer
- The number of decimals places displayed in the cell
- Any value with 2 decimal places
- Any value with 10 decimal places

Psychologists Community

Question # 3 of 8 (Start time: 08:59:12 PM, 15 November 2023) Total

Sum of values of data is divided by total number of values is used to calculate

Select the correct option

- Weighted average mean
- Harmonic mean
- Arithmetic mean
- Geometric mean

Psychologists Community

Question # 4 of 8 (Start time: 09:00:37 PM, 15 November 2023) Total Mar

The cell reference for cell range of G2 to M12 is _____

Select the correct option

- G2:M12 **Psychologists Community**
- G2-M12
- G2:M12
- G2M12

STA641 - Statistical Packages and its Applications (Quiz 1) Quiz Start Time: 08:19 PM

Question # 6 of 8 (Start time: 08:27:01 PM, 15 November 2023)

What will Excel display when calculating =1/8. Show the answer in two decimal places.

Select the correct option

- 0.13 **Psychologists Community**
- 0.12
- 0.18
- 0.125 **Psychologists Community**



Click to Save Answer & Move

Question # 8 of 8 (Start time: 04:14:59 PM, 15 November 2023)

Convert the value 0.125 into two-decimal places.

Select the correct option

- (●) 0.13
- ( ) 0.12
- ( ) 0.120
- ( ) 0.1

Psychologists Community

Question # 7 of 8 (Start time: 04:14:34 PM, 15 November 2023)

In Excel, What will be the value of this formula =2+2/2

Select the correct option

- 1
- 3
- 4
- 2

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1)

Question # 8 of 8 (Start time: 12:40:52 PM, 14 November 2023)

In Excel, Rows are labelled as _____

Select the correct option

- A1, A2, etc
- A, B, C, etc
- 1,2,3 etc
- A1, A2, etc

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1)

Question # 7 of 8 (Start time: 12:40:27 PM, 14 November 2023)

To find the mean in Excel, you start by typing the syntax

Select the correct option

○	=MEAN
○	+AVERAGE
○	+Mean
◉	=AVERAGE

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1)

Question # 6 of 8 (Start time: 12:40:04 PM, 14 November 2023)

The _____ is the value you calculate when you want the arithmetic average.

Select the correct option

- ○ Geometric mean
- ○ Mean
- ○ Mode
- ○ Median

Psychologists Community

Type here to search

Question # 4 of 8 (Start time: 12:38:51 PM, 14 November 2023)

In Excel, What will be the value of this formula =2+2*2

Select the correct option

- 3
- 4
- 6
- 8

Psychologists Community

Question # 2 of 8 (Start time: 12:37:03 PM, 14 November 2023)

Statistical calculations and preparation of tables and graphs can be done using

Select the correct option

- ○ Notepad
- ○ Power Point
- ◉ Excel
- ○ Adobe Photoshop

Psychologists Community

What is meant by precision of data?

Select the correct option

- Any value with 2 decimal places
- The number of decimals places stored in computer
- Any value with 10 decimal places
- The number of decimals places displayed in the cell

Psychologists Community

sec(s)

STA641 - Statistical Packages and its Applications (Quiz 1) **Quiz Start Time: 06:54 PM, 14 November 2023**

Question # 3 of 8 (Start time: 07:14:21 PM, 14 November 2023) **Total Marks: 1**

Excel is a program that is used to prepare a

Select the correct option

Reload Math Equations

○	Spreadsheet
○	Slide presentation
○	Database
○	Text document

Psychologists Community

Click to Save Answer & Move to Next Question

sec(s)

STA641 - Statistical Packages and its Applications (Quiz 1) Quiz Start Time: 06:54 PM, 14 November 2023

Question # 4 of 8 (Start time: 07:15:11 PM, 14 November 2023) Total Marks: 1

The _____ is the value you calculate when you want the arithmetic average

Select the correct option

- Geometric mean
- Mean
- Median
- Mode

Psychologists Community

Click to Save Answer & Move to Next Question

STA641 - Statistical Packages and its Applications (Quiz 1) Quiz Start Time: 06:54 PM, 14 November 2023

Question # 6 of 8 (Start time: 07:16:28 PM, 14 November 2023) Total Marks: 1

In Excel, What will be the value of this formula =2+2^2

Select the correct option

○	4
○	6 Psychologists Community
○	8
○	3

Click to Save Answer & Move to Next Question

STA641 - Statistical Packages and its Applications (Quiz 1) Quiz Start Time: 06:54 PM, 14 November 2023

Question # 7 of 8 (Start time: 07:17:07 PM, 14 November 2023) **Total Marks:** 1

To find the mean in Excel, you start by typing the syntax

Select the correct option

Reload Math Equations

○	+AVERAGE
○	=MEAN
○	=AVERAGE
○	+Mean

Psychologists Community

Click to Save Answer & Move to Next Question

STA641 - Statistical Packages and its Applications (Quiz 1) Quiz Start Time: 06:54 PM, 14 November 2023

Question # 8 of 8 (Start time: 07:19:17 PM, 14 November 2023) Total Marks: 1

The cell reference for cell range of G2 to M12 is _____

Select the correct option

- G2:M12
- G2-M12
- G2,M12
- G2;M12

Psychologists Community

Question # 1 of 8 (Start time: 07:20:13 PM, 14 November 2023)

What is the median of the following set of scores?
18, 6, 12, 10, 14 ?

Select the correct option

○	12
○	10
○	14
○	18

Psychologists Community

The middle value of an ordered array of numbers is the

Select the correct option

○	Mean
○	Mode
○	Mid Point
○	Median

Psychologists Community

Click to Save Answer &

In Excel, which one denoted a range of cells from B1 through E5.

Select the correct option

○	B1-E5
○	B1:E5
○	B1&E5
○	B1$E5

Psychologists Community

Click to Save A

In Excel, Rows are labelled as _____

Select the correct option

○	A1, A2, etc
○	1,2,3 etc
○	A1, A2, etc
○	A, B, C, etc

Psychologists Community

Question # 5 of 8 (Start time: 07:22:37 PM, 14 November 2023)

What are the two components of any Excel formula?

Select the correct option

- ○ Operator and = sign
- ○ Operator and + sign
- ○ Operator and brackets
- ○ Operator and operands

Psychologists Community

Click to Save Answer & Move to

Question # 6 of 8 (Start time: 07:23:06 PM, 14 November 2023)

Which of the following formulas is not entered correctly?

Select the correct option

- =B7+14
- =B7*B1
- =10+50
- 10+50

Psychologists Community

Question # 7 of 8 (Start time: 07:23:45 PM, 14 November 2023)

The first cell in EXCEL is labeled as:

Select the correct option

- A0
- Aa
- A1
- AA

Psychologists Community

Question # 8 of 8 (Start time: 07:24:18 PM, 14 November 2023)

Which term is used to join the selected cells in to one cell?

Select the correct option

Rel

- Filter
- Wrap
- Merge
- Pivot

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1) Quiz Start Time: 10:21 PM, 14 November 2023

Question # 1 of 8 (Start time: 10:21:48 PM, 14 November 2023) Total Marks: 1

What is the median of the following set of scores?
18, 6, 12, 10, 14 ?

Select the correct option

- 14
- 18
- 12
- 10

Psychologists Community

Click to Save Answer & Move to Next Question

STA641 - Statistical Packages and its Applications (Quiz 1) Quiz Start Time: 10:21 PM, 14 November 2023

Question # 2 of 8 (Start time: 10:22:18 PM, 14 November 2023) Total Marks: 1

Which term is used to join the selected cells in to one cell?

Select the correct option

Reload Math Equations

- Merge
- Pivot
- Wrap
- Filter

Psychologists Community

Click to Save Answer & Move to Next Question

sec(s)

STA641 - Statistical Packages and its Applications (Quiz 1) Quiz Start Time: 10:21 PM, 14 November 2023

Question # 4 of 8 (Start time: 10:24:55 PM, 14 November 2023) Total Marks: 1

The Caret sign (^) is an example of _____ operator

Select the correct option

- Data
- Arithmetic
- Conditional
- Logical

Psychologists Community

Click to Save Answer & Move to Next Question

Question # 5 of 8 (Start time: 10:25:45 PM, 14 November 2023)

Convert the value 0.125 into two-decimal places.

Select the correct option

- 0.120
- 0.1
- 0.12
- 0.13

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1) Quiz Start Time: 10:21 PM, 14 November 2023

Question # 6 of 8 (Start time: 10:26:21 PM, 14 November 2023) Total Marks: 1

What will Excel display when calculating =1/8. Show the answer in two decimal places.

Select the correct option

- 0.13
- 0.18
- 0.12
- 0.125

Psychologists Community

Click to Save Answer & Move to Next Question

STA641 - Statistical Packages and Its Applications (Quiz 1)

Question # 4 of 8 (Start time: 12:48:36 PM, 15 November 2023)

In formula =B2+5, what is operator?

Select the correct option

- B2
- +
- 5
- B

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1)

Question # 3 of 8 (Start time: 12:47:23 PM, 15 November 2023)

In Excel, to calculate the Arithmetic Mean of given data which functions we use?

Select the correct option

- ○ MEAN
- ○ AVG
- ○ SUMMARY
- ◉ AVERAGE

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1)

Question # 1 of 8 (Start time: 04:09:35 PM, 15 November 2023)

The cell reference for cell range of B2 to B10 is _____

Select the correct option

- B2-B10
- B2+B10
- B2:B10
- B2.B10

Psychologists Community

A formula in Excel always begins with an ____

Select the correct option

○	Comma
○	Space
○	Colon
◉	Equal sign

Psychologists Community

Question # 2 of 8 (Start time: 04:10:26 PM, 15 November 2023)

The process of arranging the items of a column in some sequence or order i

Select the correct option

- ○ Autofill
- ○ Arranging
- ○ Filtering
- ◉ Sorting

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1)

Question # 4 of 8 (Start time: 04:11:58 PM, 15 November 2023)

Statistical calculations and preparation of tables and graphs can be done using

Select the correct option

○	Power Point
○	Notepad
○	Adobe Photoshop
◉	Excel

Psychologists Community

Question # 1 of 8 (Start time: 07:51:48 PM, 15 November 2023)

Which term is used to join the selected cells in to one cell?

Select the correct option

○	Pivot
○	Filter
○	Merge
○	Wrap

Psychologists Community

Click to Save Ans

Question # 2 of 8 (Start time: 07:52:59 PM, 15 November 2023)

Getting data from a cell located in a different sheet is called ...?

Select the correct option

- ○ Referencing
- ○ Functioning
- ○ Accessing
- ○ Updating

Psychologists Community

Click to Save Answer & Move to

To find the mean in Excel, you start by typing the syntax

Select the correct option

○	=AVERAGE
○	+AVERAGE
○	=MEAN
○	+Mean

Psychologists Community

Question # 5 of 8 (Start time: 07:55:24 PM, 15 November 2023)

A formula in Excel always begins with an _____

Select the correct option

Reload Mc

- Space
- Camma
- Equal sign
- Colan

Psychologists Community

Click to Save Answer & Move to Ne

Question # 8 of 8 (Start time: 12:44:15 PM, 16 November 2023)

In Excel, which one denoted a range of cells from B1 through E5.

Select the correct option

- B1-E5
- B1&E5
- B1:E5
- B1$E5

Psychologists Community

Question # 7 of 8 (Start time: 12:43:46 PM, 16 November 2023)

What is the median of the following set of scores?
18, 6, 12, 10, 14 ?

Select the correct option

- ○ 18
- ○ 10
- ○ 12
- ○ 14

Psychologists Community

Question # 6 of 8 (Start time: 12:43:12 PM, 16 November 2023)

The cell reference for cell range of B2 to B10 is _____

Select the correct option

- ○ B2:B10
- ○ B2 B10
- ○ B2-B10
- ○ B2+B10

Psychologists Community

The Plus sign (+) is an example of _____ operator.

Select the correct option

- ○ Additional
- ○ Arithmetic
- ○ Logical
- ○ Conditional

Psychologists Community

Question # 4 of 8 (Start time: 12:40:29 PM, 16 November 2023)

The process of arranging the items of a column in some sequence or order is known as:

Select the correct option

- Autofill
- Arranging
- Sorting
- Filtering

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1)

Question # 3 of 8 (Start time: 12:39:57 PM, 16 November 2023)

A formula in Excel always begins with an ____

Select the correct option

- ○ Colon
- ○ Space
- ○ Comma
- ○ Equal sign

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1)

Question # 2 of 8 (Start time: 12:39:18 PM, 16 November 2023)

What is the intersection of a column and a row on a worksheet called?

Select the correct option

- Column
- Value
- Cell
- Address

Psychologists Community

Question # 1 of 8 (Start time: 12:38:33 PM, 16 November 2023)

In Excel, Columns are labelled as ___ .

Select the correct option

- ○ A1, A2, etc.
- ○ 1,2,3 etc
- ○ A, B, C, etc
- ○ A1, A2, etc.

Psychologists Community

Question # 6 of 8 (Start time: 07:55:51 PM, 15 November 2023)

Which of the following is NOT a term of MS-Excel?

Select the correct option

- Cells
- Columns
- Rows
- Documents

Psychologists Community

Question # 7 of 8 (Start time: 07:56:24 PM, 15 November 2023) Total

The middle value of an ordered array of numbers is the

Select the correct option

- Median
- Mode
- Mean
- Mid Point

Psychologists Community

Question # 8 of 8 (Start time: 07:56:58 PM, 15 November 2023)

Functions in MS Excel must begin with ___ .

Select the correct option

- A Plus Sign
- An () sign
- A > Sign
- An Equal Sign

Psychologists Community

Question # 1 of 8 (Start time: 08:56:55 PM, 15 November 2023)

What is the median of the following set of scores?
18, 6, 12, 10, 14 ?

Select the correct option

- 18
- 14
- 10
- 12

Psychologists Community

Click to Save Answer & Move to Nex

Question # 3 of 8 (Start time: 08:59:12 PM, 15 November 2023) Total

Sum of values of data is divided by total number of values is used to calculate

Select the correct option

- Weighted average mean
- Harmonic mean
- Arithmetic mean
- Geometric mean

Psychologists Community

STA641 – Statistical Packages and its Applications (Quiz 1) Quiz Start Time: 08:56 PM, 15 Novemb

Question # 5 of 8 (Start time: 09:04:22 PM, 15 November 2023) **Total**

Which bar show the used formula of selected active cell?

Select the correct option

Reload Math Equa

- Formula bar
- Menu bar
- Ribbon
- Scroll bar

Psychologists Community

Click to Save Answer & Move to Next Que

Question # 3 of 8 (Start time: 09:46:35 PM, 15 November 2023)

In Excel, What will be the value of this formula =2+2/2

Select the correct option

- 3
- 4
- 2
- 1

Psychologists Community

sec(s)

STA641 - Statistical Packages and its Applications (Quiz 1)

Quiz Start Time: 02:45 PM, 16 November 2023

Question # 8 of 8 (Start time: 02:54:44 PM, 16 November 2023) **Total Marks:** 1

In Excel, which one denoted a range of cells from B1 through E5.

Select the correct option

- B1&E5
- B1:E5
- B1-E5
- B1$E5

Psychologists Community

Question # 4 of 8 (Start time: 03:04:04 PM, 16 November 2023) Total Marks: 1

The cell reference for cell range of G2 to M12 is _____

Select the correct option

- G2-M12
- G2;M12
- G2.M12
- G2:M12

Psychologists Community

Click to Save Answer & Move to Next Question

STA641 - Statistical Packages and its Applications (Quiz 1) Quiz Start Time: 03:01 PM, 16 November 2023

Question # 8 of 8 (Start time: 03:07:23 PM, 16 November 2023) Total Marks: 1

Which of the following formulas is not entered correctly?

Select the correct option

- =87*81
- =10+50
- 10+50
- =87+14

Psychologists Community

Click to Save Answer & Move to Next Question

STA641 - Statistical Packages and its Applications (Quiz 1)

Question # 7 of 8 (Start time: 03:06:50 PM, 16 November 2023)

A formula in Excel always begins with an ____

Select the correct option

○	Colon
○	Comma
●	Equal sign
○	Space

Psychologists Community

sec(s)

STA641 - Statistical Packages and its Applications (Quiz 1)

Quiz Start Time: 03:01 PM, 16 November 2023

Question # 6 of 8 (Start time: 03:06:09 PM, 16 November 2023)

Total Marks: 1

Statistical calculations and preparation of tables and graphs can be done using

Select the correct option

Reload Math Equations

- Adobe Photoshop
- Notepad
- Excel
- Power Point

Psychologists Community

Click to Save Answer & Move to Next Question

STA641 - Statistical Packages and its Applications (Quiz 1) Quiz Start Time: 03:01 PM, 16 November 2023

Question # 5 of 8 (Start time: 03:05:19 PM, 16 November 2023) Total Marks: 1

In Excel, which one denoted a range of cells from B1 through E5.

Select the correct option

- B1-E5
- B1:E5
- B1$E5
- B1&E5

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1) Quiz Start Time: 03:01 PM, 16 November 2023

Question # 3 of 8 (Start time: 03:02:39 PM, 16 November 2023) Total Marks: 1

In Excel, to calculate the Arithmetic Mean of given data which functions we use?

Select the correct option

- MEAN
- AVG
- SUMMARY
- AVERAGE

Psychologists Community

Click to Save Answer & Move to Next Question

Question # 2 of 8 (Start time: 03:01:54 PM, 16 November 2023)

Which is an example of correct formula?

Select the correct option

○	=A1+A2
○	SUM(A1:A2)
○	=add(A1:A2)
○	A1+A2

Psychologists Community

What will Excel display when calculating =1/8. Show the answer in two decimal places.

Select the correct option

◉	0.125
○	0.13
○	0.12
○	0.18

Psychologists Community

Click

sec(s)

STA641 - Statistical Packages and its Applications (Quiz 1) **Quiz Start Time: 02:45 PM, 16 November 2023**

Question # 1 of 8 (Start time: 02:45:24 PM, 16 November 2023) **Total Marks: 1**

The Less Than sign (<) is an example of _____ operator.

Select the correct option

- ○ Arithmetic
- ○ Less
- ◉ Conditional
- ○ Logical

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1)

Quiz Start Time: 02:45 PM, 16 November 2023

Question # 2 of 8 (Start time: 02:46:58 PM, 16 November 2023) **Total Marks:** 1

Which one is not a Function in MS Excel?

Select the correct option

○	AVG
○	MAX
●	SUM
○	MIN

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1)

Quiz Start Time: 02:45 PM, 16 November 2023

Question # 3 of 8 (Start time: 02:48:36 PM, 16 November 2023) **Total Marks:** 1

A formula in Excel always begins with an ____

Select the correct option

Reload Math Equations

- ○ Colon
- ● Equal sign
- ○ Space
- ○ Comma

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1)

Quiz Start Time: 02:45 PM, 16 November 2023

Question # 4 of 8 (Start time: 02:49:39 PM, 16 November 2023) **Total Marks:** 1

What are the two components of any Excel formula?

Select the correct option

- ○ Operator and + sign
- ○ Operator and brackets
- ◉ Operator and operands
- ○ Operator and = sign

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1)

Quiz Start Time: 02:45 PM, 16 November 2023

Question # 5 of 8 (Start time: 02:50:56 PM, 16 November 2023) **Total Marks:** 1

In formula =B2+5, what is operator?

Select the correct option

- B
- 5
- B2
- +

Psychologists Community

sec(s)

STA641 - Statistical Packages and its Applications (Quiz 1)

Quiz Start Time: 02:45 PM, 16 November 2023

Question # 6 of 8 (Start time: 02:52:11 PM, 16 November 2023) **Total Marks:** 1

In Excel, Columns are labelled as ___ .

Select the correct option

- A1, A2, etc.
- 1,2,3 etc
- A1, A2, etc.
- A, B, C, etc

Psychologists Community

sec(s)

STA641 - Statistical Packages and its Applications (Quiz 1)

Quiz Start Time: 02:45 PM, 16 November 2023

Question # 7 of 8 (Start time: 02:53:35 PM, 16 November 2023) **Total Marks:** 1

The Greater Than sign (>) is an example of _____ operator.

Select the correct option

- ○ Greater
- ○ Arithmetic
- ○ Conditional
- ◉ Logical

Psychologists Community

Question # 4 of 8 (Start time: 09:48:51 PM, 15 November 2023)

What is the intersection of a column and a row on a worksheet called?

Select the correct option

- ○ Value
- ○ Cell
- ○ Address
- ○ Column

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1)

Question # 6 of 8 (Start time: 09:50:38 PM, 15 November 2023)

Which term is used to join the selected cells in to one cell?

Select the correct option

- ○ Filter
- ○ Pivot
- ○ Wrap
- ○ Merge

Psychologists Community

Question # 3 of 8 (Start time: 09:34:06 PM, 14 November 2023)
Total Marks: 1

Statistical calculations and preparation of tables and graphs can be done using

Select the correct option

Reload Math Equations

- Notepad
- Excel
- Power Point
- Adobe Photoshop

Psychologists Community

Method used to compute average or central value of collected data is considered as

Select the correct option

- Measures of negative skewness
- Measures of negative variation
- Measures of central tendency
- Measures of positive variation

Psychologists Community

Click to Save Answer & Move to Next Question

Question # 5 of 8 (Start time: 09:37:02 PM, 14 November 2023) Total Marks: 1

In Excel, which one denoted a range of cells from B1 through E5.

Select the correct option

- B1&E5
- B1:E5
- B1-E5
- B1$E5

Psychologists Community

Click to Save Answer & Move to Next Question

STA641 - Statistical Packages and its Applications (Quiz 1) Quiz Start Time: 09:33 PM, 14 November 2023

Question # 6 of 8 (Start time: 09:38:02 PM, 14 November 2023) Total Marks: 1

What is the intersection of a column and a row on a worksheet called?

Select the correct option

- Column
- Cell
- Value
- Address

Psychologists Community

Click to Save Answer & Move to Next Question

STA641 - Statistical Packages and its Applications (Quiz 1)

Quiz Start Time: 09:33 PM, 14 November 2023

Question # 7 of 8 (Start time: 09:38:59 PM, 14 November 2023)

Total Marks: 1

A formula in Excel always begins with an _____

Select the correct option

Reload Math Equations

- Space
- Equal sign
- Colon
- Comma

Psychologists Community

Click to Save Answer & Move to Next Question

Question # 8 of 8 (Start time: 09:40:21 PM, 14 November 2023) Total Marks: 1

What will Excel display when calculating =1/8. Show the answer in two decimal places.

Select the correct option

- 0.16
- 0.13
- 0.12
- 0.125

Psychologists Community

Click to Save Answer & Move to Next Question

STA541 - Statistical Packages and its Applications (Quiz 1) Quiz Start Time: 09:53 PM, 14 November 2023

Question # 1 of 8 (Start time: 09:53:29 PM, 14 November 2023) Total Marks: 1

Method used to compute average or central value of collected data is considered as

Select the correct option

- Measures of positive variation
- Measures of negative skewness
- Measures of negative variation
- Measures of central tendency

Psychologists Community

Click to Save Answer & Move to Next Question

STA541 - Statistical Packages and its Applications (Quiz 1) Quiz Start Time: 09:53 PM, 14 November 2023

Question # 2 of 8 (Start time: 09:54:26 PM, 14 November 2023) Total Marks: 1

When data is arranged, middle value in set of observations is classified as

Select the correct option

- Median
- Variance
- Mean
- Standard deviation

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1) Quiz Start Time: 09:53 PM, 14 November 2023

Question # 3 of 8 (Start time: 09:55:38 PM, 14 November 2023) Total Marks: 1

Getting data from a cell located in a different sheet is called ...?

Select the correct option

- Referencing
- Accessing
- Updating
- Functioning

Psychologists Community

Click to Save Answer & Move to Next Question

STA641 - Statistical Packages and its Applications (Quiz 1)

Quiz Start Time: 09:53 PM, 14 November 2023

Question # 4 of 8 (Start time: 09:56:36 PM, 14 November 2023)

Total Marks: 1

the Plus sign (+) is an example of _____ operator.

Select the correct option

- Additional
- Logical
- Arithmetic
- Conditional

Psychologists Community

Question # 5 of 8 (Start time: 09:57:59 PM, 14 November 2023) Total Marks: 1

Types of descriptive measures includes

Select the correct option

- all of above/given options
- Measures of dispersion
- Measures of skewness
- Measures of central tendency

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1)

Quiz Start Time: 03:40 PM, 16 November 2023

Question # 6 of 8 (Start time: 03:41:16 PM, 16 November 2023)

Total Marks: 1

The ____ feature of MS Excel quickly completes a series of data

Select the correct option

Reload Math Equations

- Sorting
- Auto Fill
- Auto Complete
- Fill Handle

Psychologists Community

Click to Save Answer & Move to Next Question

STA641 - Statistical Packages and its Applications (Quiz 1) Quiz Start Time: 06:03 PM, 16 November 2023

Question # 2 of 8 (Start time: 06:04:44 PM, 16 November 2023) Total Marks: 1

Statistical calculations and preparation of tables and graphs can be done using

Select the correct option

Reload Math Equations

- Excel
- Adobe Photoshop
- Notepad
- Power Point

Psychologists Community

Question # 8 of 8 (Start time: 07:47:16 PM, 16 November 2023)

Which one is not a Function in MS Excel?

Select the correct option

- AVG
- SUM
- MAX
- MIN

Psychologists Community

Click to Save Answ

STA641 - Statistical Packages and its Applications (Quiz 1)

Quiz Start Time: 06:03 PM, 16 November 2023

Question # 1 of 8 (Start time: 06:03:29 PM, 16 November 2023)

Total Marks: 1

Which is an example of correct formula?

Select the correct option

- A1+A2
- =A1+A2
- =add(A1:A2)
- SUM(A1:A2)

Psychologists Community

sec(s)

STA641 - Statistical Packages and its Applications (Quiz 1)

Quiz Start Time: 06:03 PM, 16 November 2023

Question # 3 of 8 (Start time: 06:05:33 PM, 16 November 2023)

Total Marks: 1

In formula =B2+5, what is operator?

Select the correct option

- 5
- B
- +
- B2

Psychologists Community

Question # 4 of 8 (Start time: 06:06:27 PM, 16 November 2023) Total Marks: 1

In Excel, Rows are labeled as _____

Select the correct option

- A1, A2, etc.
- 1,2,3 etc
- A, B, C, etc
- A1, A2, etc.

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1) Quiz Start Time: 06:03 PM, 16 November 2023

Question # 5 of 8 (Start time: 06:07:37 PM, 16 November 2023) Total Marks: 1

In MS Excel, Conditional Formatting is in _____ tab?

Select the correct option

Reload Math Equations

- View
- Insert
- Page Layout
- Home

Psychologists Community

Click to Save Answer & Move to Next Question

sec(s)

STA641 - Statistical Packages and its Applications (Quiz 1)

Quiz Start Time: 06:03 PM, 16 November 2023

Question # 7 of 8 (Start time: 06:10:42 PM, 16 November 2023)

Total Marks: 1

Which one is not a Function in MS Excel?

Select the correct option

- SUM
- MIN
- MAX
- AVG

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1) Quiz Start Time: 06:03 PM, 16 November 2023

Question # 8 of 8 (Start time: 06:12:21 PM, 16 November 2023) Total Marks: 1

Statistical calculations and preparation of tables and graphs can be done using

Select the correct option

Reload Math Equations

- Power Point
- Notepad
- Excel
- Adobe Photoshop

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1) Quiz Start Time: 06:03 PM, 16 November 2023

Question # 6 of 8 (Start time: 06:09:07 PM, 16 November 2023) Total Marks: 1

Which bar show the used formula of selected active cell?

Select the correct option

Reload Math Equations

- Scroll bar
- Menu bar
- Ribbon
- Formula bar

Psychologists Community

[redacted]

Question # 5 of 8 (Start time: 11:42:00 PM, 16 November 2023)

The process of arranging the items of a column in some sequence or order is known as:

Select the correct option

- Sorting
- Autofill
- Filtering
- Arranging

Psychologists Community

Question # 4 of 8 (Start time: 11:40:32 PM, 16 November 2023)

Which bar show the used formula of selected active cell?

Select the correct option

- ○ Menu bar
- ○ Formula bar
- ○ Ribbon
- ○ Scroll bar

Psychologists Community

Question # 2 of 8 (Start time: 11:38:52 PM, 16 November 2023)

Getting data from a cell located In a different sheet is called _____?

Select the correct option

- ○ Referencing
- ○ Functioning
- ○ Accessing
- ○ Updating

Psychologists Community

Question # 7 of 8 (Start time: 08:52:44 PM, 16 November 2023)

Excel is a program that is used to prepare a

Select the correct option

○	Database
○	Text document
○	Slide presentation
◉	Spreadsheet

Psychologists Community

Click to S

Question # 6 of 8 (Start time: 11:43:03 PM, 16 November 2022)

How many ways to analyze the data

Select the correct option

- 3
- 4
- 2
- 5

Question # 1 of 8 (Start time: 11:37:59 PM, 16 November 2023)

The Caret sign (^) is an example of _____ operator.

Select the correct option

- Conditional
- Logical
- Arithmetic
- Data

Psychologists Community

Question # 8 of 8 (Start time: 11:44:30 PM, 16 November 2023)

In Excel, Rows are labeled as _____

Select the correct option

- A1, A2, etc.
- A, B, C, etc
- 1,2,3 etc
- A1, A2, etc.

Psychologists Community

Which is an example of correct formula?

Select the correct option

○	A1+A2
○	=A1+A2
○	=add(A1:A2)
○	SUM(A1:A2)

Statistical calculations and preparation of tables and graphs can be done using

Select the correct option

Reload Math Equations

○	Excel
○	Adobe Photoshop
○	Notepad
○	Power Point

Psychologists Community

Click to Save Answer & Move to Next Question

sec(s)

STA641 - Statistical Packages and its Applications (Quiz 1)

Quiz Start Time: 06:03 PM, 16 November 2023

Question # 3 of 8 (Start time: 06:05:33 PM, 16 November 2023)

Total Marks: 1

In formula =B2+5, what is operator?

Select the correct option

- 5
- B
- +
- B2

Psychologists Community

Click to Save Answer & Move to Next Question

In Excel, Rows are labeled as _____

Select the correct option

- A1, A2, etc.
- 1,2,3 etc
- A, B, C, etc
- A1, A2, etc.

Psychologists Community

Click to Save Answer & Move to Next Question

STA641 - Statistical Packages and its Applications (Quiz 1) Quiz Start Time: 06:03 PM, 16 November 2023

Question # 5 of 8 (Start time: 06:07:37 PM, 16 November 2023) Total Marks: 1

In MS Excel, Conditional Formatting is in _____ tab?

Select the correct option

Reload Math Equations

- View
- Insert
- Page Layout
- Home

Psychologists Community

Which bar show the used formula of selected active cell?

Select the correct option

Reload Math Equations

○	Scroll bar
○	Menu bar
○	Ribbon
○	Formula bar

Psychologists Community

Click to Save Answer & Move to Next Question

Question # 7 of 8 (Start time: 06:10:42 PM, 16 November 2023) **Total Marks: 1**

Which one is not a Function in MS Excel?

Select the correct option

- SUM
- MIN
- MAX
- AVG

Psychologists Community

Click to Save Answer & Move to Next Question

Statistical calculations and preparation of tables and graphs can be done using

Select the correct option

Reload Math Equations

○	Power Point
○	Notepad
○	Excel
○	Adobe Photoshop

Psychologists Community

Click to Save Answer & Move to Next Question

Time Left sec(s)

STA641 - Statistical Packages and its Applications (Quiz 1)

Quiz Start Time: 03:40 PM, 16 November 2023

Question # 1 of 8 (Start time: 03:40:34 PM, 16 November 2023)

Total Marks: 1

A formula in Excel always begins with an _____

Select the correct option

Reload Math Equations

- Space
- Equal sign
- Colon
- Comma

Psychologists Community

Click to Save Answer & Move to Next Question

STA641 - Statistical Packages and its Applications (Quiz 1)

Quiz Start Time: 03:40 PM, 16 November 2023

Question # 2 of 8 (Start time: 03:40:41 PM, 16 November 2023)

Total Marks: 1

Which term is used to join the selected cells in to one cell?

Select the correct option

Reload Math Equations

- Filter
- Wrap
- Merge
- Pivot

Psychologists Community

Click to Save Answer & Move to Next Question

STA641 - Statistical Packages and its Applications (Quiz 1) Quiz Start Time: 03:40 PM, 16 November 2023

Question # 3 of 8 (Start time: 03:40:47 PM, 16 November 2023) Total Marks: 1

In Excel, Rows are labelled as _____

Select the correct option

Reload Math Equations

- 1,2,3 etc
- A1, A2, etc
- A, B, C, etc
- A1, A2, etc

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1) Quiz Start Time: 03:40 PM, 16 November 2023

Question # 4 of 8 (Start time: 03:40:53 PM, 16 November 2023) Total Marks: 1

In Excel, What will be the value of this formula =2+2*2

Select the correct option

- 8
- 4
- 3
- 6

Psychologists Community

Click to Save Answer & Move to Next Question

Question # 5 of 8 (Start time: 03:41:02 PM, 16 November 2023)
Total Marks: 1

In Excel, Rows are labeled as _____

Select the correct option

- A1, A2, etc.
- A, B, C, etc
- 1,2,3 etc
- A1, A2, etc.

Psychologists Community

Click to Save Answer & Move to Next Question

STA641 - Statistical Packages and its Applications (Quiz 1)

Quiz Start Time: 03:40 PM, 16 November 2023

Question # 6 of 8 (Start time: 03:41:16 PM, 16 November 2023)

Total Marks: 1

The ____ feature of MS Excel quickly completes a series of data

Select the correct option

Reload Math Equations

Psychologists Community

- Sorting
- Auto Fill
- Auto Complete
- Fill Handle

STA641 - Statistical Packages and its Applications (Quiz 1)

Quiz Start Time: 03:40 PM, 16 November 2023

Question # 7 of 8 (Start time: 03:42:30 PM, 16 November 2023)

Total Marks: 1

The Less Than sign (<) is an example of _____ operator.

Select the correct option

- Conditional
- Logical
- Arithmetic
- Less

Psychologists Community

Click to Save Answer & Move to Next Question

STA641 - Statistical Packages and its Applications (Quiz 1)

Quiz Start Time: 03:40 PM, 16 November 2023

Question # 8 of 8 (Start time: 03:42:45 PM, 16 November 2023)

Total Marks: 1

The middle value of an ordered array of numbers is the

Select the correct option

- Mid Point
- Median
- Mean
- Mode

Psychologists Community

Click to Save Answer & Move to Next Question

3:41 PM

vulms.vu.edu.pk/

BC220418076: ZEESHA ROSHEEN

Time Left 90 sec(s)

STA641 - Statistical Packages and its Applications (Quiz 1)

Quiz Start Time: 03:40 PM, 16 November 2023

Question # 6 of 8 (Start time: 03:41:16 PM, 16 November 2023)

Total Marks: 1

The ____ feature of MS Excel quickly completes a series of data

Select the correct option

Reload Math Equations

- Sorting
- Auto Fill
- Auto Complete
- Fill Handle

Right

Psychologists Community

Click to Save Answer & Move to Next Question

How many ways to analyze the data

Select the correct option

Reload Math Equations

○	5
○	3
○	2
○	4

Psychologists Community

Click to Save Answer & Move to Next Question

The ____ feature of MS Excel quickly completes a series of data

Select the correct option

Reload Math Equations

Psychologists Community

- Fill Handle
- Sorting
- Auto Fill
- Auto Complete

Click to Save Answer & Move to Next Question

7:51 PM 58

STA641 - Statistical Packages and its Applications (Quiz 1) Quiz Start Ti

Question # 1 of 8 (Start time: 07:51:48 PM, 15 November 2023)

Which term is used to join the selected cells in to one cell?

Select the correct option

- Pivot
- Filter
- Merge
- Wrap

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1)

Question # 7 of 8 (Start time: 10:18:52 PM, 15 November 2023)

What are the two components of any Excel formula?

Select the correct option

- Operator and + sign
- Operator and brackets
- Operator and = sign
- Operator and operands

STA641 - Statistical Packages and its Applications (Quiz 1)

Question # 8 of 8 (Start time: 10:21:06 PM, 15 November 2023)

To find the mean in Excel, you start by typing the syntax

Select the correct option

○	+AVERAGE
○	=AVERAGE
○	+Mean
○	=MEAN

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1)

Question # 2 of 8 (Start time: 12:18:30 AM, 16 November 2023)

How many ways to analyze the data

Select the correct option

○	4
○	2
○	5
○	3

Psychologists Community

But not sure

Question # 1 of 8 (Start time: 07:51:48 PM, 15 November 2023)

Which term is used to join the selected cells in to one cell?

Select the correct option

- ○ Pivot
- ○ Filter
- ○ Merge
- ○ Wrap

Psychologists Community

Question # 2 of 8 (Start time: 07:52:59 PM, 15 November 2023)

Getting data from a cell located in a different sheet is called ....?

Select the correct option

Psychologists Community

- Referencing
- Functioning
- Accessing
- Updating

Click to Save Answer & Move to

To find the mean in Excel, you start by typing the syntax

Select the correct option

○	=AVERAGE
○	+AVERAGE
○	=MEAN
○	+Mean

Psychologists Community

Click to Save Answer & N

The cell reference for cell range of B2 to B10 is _____

Select the correct option

- B2:B10
- B2.B10
- B2+B10
- B2-B10

Psychologists Community

Click to Save Answer & N

Question # 6 of 8 (Start time: 07:55:51 PM, 15 November 2023)

Which of the following is NOT a term of MS-Excel?

Select the correct option

- Cells
- Columns
- Rows
- Documents

Psychologists Community

Question # 5 of 8 (Start time: 07:55:24 PM, 15 November 2023)

A formula in Excel always begins with an _____

Select the correct option

Reload Mc

- Space
- Comma
- Equal sign
- Colon

Psychologists Community

STA641 - Statistical Packages and its Applications (Quiz 1) Quiz Start Time: 07:51 PM, 15 Novemb

Question # 7 of 8 (Start time: 07:56:24 PM, 15 November 2023) Total

The middle value of an ordered array of numbers is the

Select the correct option

- Median
- Mode
- Mean
- Mid Point

Psychologists Community

Click to Save Answer & Move to Next Ques

Question # 8 of 8 (Start time: 07:56:58 PM, 15 November 2023)

Functions in MS Excel must begin with ___ .

Select the correct option

- A Plus Sign
- An () sign
- A > Sign
- An Equal Sign

Psychologists Community

Question # 6 of 8 (Start time: 09:59:27 PM, 14 November 2023) Total Marks: 1

The Greater Than sign (>) is an example of _____ operator.

Select the correct option

- Conditional
- Logical
- Orecter
- Arithmetic

Psychologists Community



Support Us

Community Site

https://psychologistscommunity.com

YouTube Channel

https://www.youtube.com/channel/UCL1prXTsf5H7x5VsIMYut7A

Psychologists Community
Board of Education and Examination Center

https://beec.psychologistscommunity.com

Basics of Counseling and Psychotherapy Course Timeline (3 Months)
Total Credit Hour (90)
Contact Us: 0311-1496427

Copyrights: Psychologists Community