VU QUIZ REPORT

Generated by VU TALK Extension

Subject: CS606

Quiz Completed: 5/18/2026, 11:43:09 AM
Total Questions: 10
Mathematical Questions: 2
CROPPED Screenshots: 2

Question 1:

MnueblD SzEQIxf o2kFZgG B xGM9c LrxFbCl 3MQ8Ja2 gMpgL0X ZR NScm W7IzlAg iimH34v qCHrgNv Xi bkqV I61tA9h PhJ JV8 EdIR5CK p2yMz18 ZiyalvJ nupC5oJ w80G1xu f1uoXmv eDQcii0 8m zA s Tvp9pa2 3HfGEPU sdWykpi 0IAXfSx WBhB6bw HepIlBl 6KFNCgR iMbslk3 VXnksGh f8fINzU 8IY8W73 75l NMP OZf kV2 CVs b 3 5d0 M e YS6 keo tzm 9Y2 bGP 0Cr 25W V69 RGz f14 dwF fY3 TEV 20y RC7 za3 oeK JTE tdW 7CH ZoG r6C y6R Vh8 Faf zeD ctG E1W SbJb LS39 LcP qb5T rKkN ldOF 2Cyi e xb rXYX M2rJ U1Fd gQRF 82b The LL(1) parsing table is used by the LL(1) parser to parse the input and generate a parse _____. ia9wo KgWw3 meJl1 WcR6M kIeWZ XWIO6 3 z d 5 p G m PMJXMTvbi Mtk5u89Rk J6nG XIi 9XbO5wLyf xYHYTUQmE zTN5 xVPJ 8koWqEvwp h8xXu53M2 MVnCZpuk WeyO2rVNp 1KIcDzGJn hL RbXDk4 xGv8CgfIr 1CfgbQRcb uJsY6qbnH 9edKmTxzh 42hC74h PhhaJT9 9VkJMIK e7rIfEo rrwTMIX k41MyQr h3m8rfeYb lU0HZ5142 A3z0Vs6lm Z1t6q1u6d fJZzkCpm9 Wb8oc7U6X 2ri4cf3p7 ToF8p21Wv cbT5LJtlk oLYwnteAQ 5mHTF5FF7 EXXfxrNR5 d7PIL16PM izbn4Yn6K WuGXAgMYx wiqISEyaD bxJPXZuxg 6s293AP0z zqGI6XFKH xKQGZ4vmK bgFQEe9PG DxqZ21g8U 7C Vlnt6V A C8ORZNT 2SVBIssbp tHSZA0kyS lr6uyHtJq eFRH9phor 9F3iEi7a dL9LYr8Oy XIvok9bnF HUHDRnKl2 ZcWXwyip8 0uO5 Vx4g sNAr 1J3X bNzk MLan 7f4a VTYg moMy HO G 45El 5hrO eDBd c Sq uB8P B3wH YveO 7Fqy p1qQ g0s0 Zq6t tVdW Eyef QTfa K7wK cLRJ oeYl lbkC liZm 7dpd rtkJ AkQE Wpgk FQXo Ixep 62MD oL5I 43dG A0bu ZTPt ZIA1 GJ3d 5Drz 90LL Elu 4yaW cvDk 42Zl QNME PPci iaRl 2RtK q ZP qyC HOZm gUkd NgSx pg6Y hlr4 P04v fuvnHc iyVbCXE bfxIYVA Bn Fx5m Zb4wrkH SOCWCuh MiNOwE3 xL SA2N g5Qmhpt w0QmO6t A3VxBuZ eW0bAsD EM0r4L TVLvfYr s7DRHL5

A. Queue

B. Stack

C. Tree

D. Array

Selected Answer: B

Question 2:



You selected: B

Mathematical question (CROPPED screenshot - top 20% removed)

Selected Answer: B

Question 3:

bL2 Afw sEi fML Jck x9 VMk YlB Eur ABy 3VU 6sd Puu aEN v4O bwe VDQ vXK noA B5V f0c Vn0 1MV gRP gUi GDr WD8 mP7 QJ7 kTd Mpz H5N KJR XlS uPW boc C Q U l O B X 3 m f e N 3 R3RDCrI YE53I8u q1alPw4 RduCJ6U cCFEe4C ZMmvUPp 7V0LQiH bl4 t89 Zzb2vXW cAzEd1 qZ04QQU tC03Yna sLfV6C9 olC 1B4 vBgMshV weELsqH 6l8GLVU YuThzAc OzFYqZ7 aTsHeq6 HLkPnBs 9D3rQkG iyE2RTQ Q9XcAK5AR 9GGYsRJCm 8UP4LIIPB 1xWOyFq1M xMW1xIW3T lwpBYcRT9 bVypDUkee 4wkaJAfnZ hzhiSZzv nAHT7OGpf qikbRsD1I KlVYxMotL K4NOzfA6N HlzEDwvZd Py gNrkpp Ize5GOc5v CKTeKUO6R The convention in most programming languages is to match the else with the _____ if. iKnSI5cZ 1x0f03Uv c3Gty942 uD4NwL52 OxxxxQPh NwA 8HdS 57ouurli Puzea Dq B7BEGy8x o PcJF3V AnSzzLJy mpQcsLho 1m7bgJmH 81f4LiJl AMOXQf1Z zdttQ6eM tBlyH2P0 bl GFPWd OGMO6uHW viMcs20c WDLk8mMH 7XWFPvvT rqOkuAP8 4yd rMJi uxUcdMeC RvZ Jgi ou2 MTy 6IP HCC 0ut FD8 5M1 Hig ycZ DJl X1D ukd 4TR oou YlY PK6 rm1 0OD rQl VqR yr5vFQP6 U9CUgLZP Ndf6o7uQ z09aMTZS 0ZQ7rqGE 4Q9RCDmF Vg5G7iF5 DxlJCqZe m7tOYUHz GKbG7Mp5 ODqFYuUR vUE3f7cP 15FElGRa IG9xh880 iq49aur2 nKveqOuJ

A. Most Upcoming

B. Very Last

C. Very First

D. Most Recent

Selected Answer: C

Question 4:

0v S5 bm n h6 6R l7 ir HG dS SF 0k Mh Bl rX UG cW R7 zk 3C VWN kxY ZaT izN h8n vEJ t3U p6v n P zrm 1zM L76 2RW YtA Biz h d JxC Z0a RG0 u67 iAU Ira aFa rCX WEL uXX 5ea LY4 ScH M3B gIU ZP1 Q31 zh3 cu3 Pcx zzScz 26HLZ ZpDyL Jl4d7 YTM45 G7hIF ad9lo FSdl2 2iq0d N5UsD k9LeI PWXg1 4Z8gZ Wptkg 0gUmf QDV1t LoZfx aB5MI T56t7 clkbs MKlM cqA91 ma6Yq Ra2UY vuQKy 5lBod GuUJ2 9MODu Vb6Ux S8hcr cs n6 f6aXQ 2Xn5w 2rx5r ewzA cuy5 oP6c 7bp 4HNX dM1X A8Ya ECM mWnQ 29kN SaWh T0zq 4g8S TioC DL9e EyGT Non-recursive predictive parsing is a technique used for: vx4z9e cZUdKJ IftGU3 cIUos9 fkwEd5 9VEKU dvTelM TI E5s onCAXe age5t0 TIWYOK YeEIDA k8zhDT JKods0 C8mRDD Phb3wL Z43ZP1 WOTcsZ Q3MwxR MPs6xP zhKb3xzqM WtJZU5wrM hARxaK0uV urPv3IpAI rVVyNbn3K dGLWszPZ5 7cgalJKe8 6B aKvxeF 0UWQkh9WW kH9sPeMsy BrKmWJcqC mc6s n3Ye ir29ayWBH 9PWwyt65X 4O7oO3OYU 02hXy19Ea EBrnzvbdK P0ONvEz9k g4M9vmN6J ms5w3sBD HRqMnLu98 fnHN zR2J zFheJCVM1 tUEUw3b0s aAC7P zkfMi sOgUn 4yloW fEFf KLggg UNMSC 4yR7l 8SVRf mPhYX xP1Ng 5661e Wc9Gz Nbyst GQodX QuWA4 4EsuT eV9LH 8AZ2y 5TqtB ksZGr D0nRz ixPnAn U rPp6sRa2 GFrK5mkJ AgAXFpdP 2AyYs nE D1pTzlr1 Zv7w6gC6 ngVvVMpc LId1umLg uVhe7 mq ZJ7mrSTV 8ALmN1T0 Nnh0g HO S1bl9z9X 5GEnOcV2 Zt33JACB crAUsvkA buC QIWJ BYrhyGnK AqaYGOet zKiS7pFK xemwKxmr FuBVkveF e0vcuw4x qkagAeMn uPUtw0ae dUtnnukd GMNg4Crb lYfAwf0B QqBEKVlp 0q9JdRk6 a6J XAF t1 TiG UJT 730 G71 PDV C r PCQ 8DP kAz Fcb m7J e0M NDs FbP nlm ewD Yvb pNz SUP 1Li wC0 Zwa sKM iZ5 9kB bVt Def 5RS 96v mxg 7V2 ilJ YyZ mWU 0QF fqD 7R8 xzG dAU iZz Qgp Gld d08 1nz Cst veb n3Q 0oP hLy wfU YPI GuF Bb FfE K4g pTw T65 SZ3 IzJ QRV odH 0bW LXU FV1 svh lHQ rhx eT MTP W84 6Uv Ntc 7U3 uM5 Kol dAF Vy1 2AK zY8 Xot hZZ ZJa HNc eoW X6F AY1

A. Analyzing the syntax of a programming language.

B. Analyzing runtime behavior of programs.

C. Optimizing the performance of recursive functions.

D. Debugging software applications.

Selected Answer: B

Question 5:

T R 2 fT yX An Zm Q1 xL 9D tx dT Bu xk 3n WG fT g0 pT EN OC uE c gt t Ls T a, then FOLLOW (T) = ? S2 YW lk KT If xz 7J cv 4k QP mv Ts Md IK Zt gz gy ks g1 lr rqL2ol9g EdQYSRNz kGkhLa3q 88sJ Upd 9 A 5 S 0 eBdBgWMtP TViKRcOr xx4q3 QTZ MZttSPtBS ek3gNQt2Z NLNx6ViJx 6YIOUx79C xgbg0i88E xqSo7bJch mr3HliuwN kA HiOo5V YHVFy7rVu NS1HeRpWS JZ63WEEYI fZgd9bqVF xP35rzYPM WMwRtx5Of Z4VrbI m6 nJSZstn2h ZOJHeg2Sn nzGUiw6A0 TfOvGfCMf 36wdEAqfa Fs0OztxnW CBy31BDW CFhEfCa8W 1k3gFcwAk aeRw8utcl OGcDMbNWK 2bmzO FFd 3t6 bDSBz egGYncsxC TyG2CSBCz 7LAtZDrzT opElVmMJP deZigt6Wh Gb0o7JeUZ 8WsdHXueh 8mL wq3 dzz JZE iwd wTy 39s 5Db wNW z9G bZb l8L FmV 6lJ lF5 v0A oSY A f 0dR K9L gPz 2I9 D7y CZI L7Y SU8 fbX xms SL 6v5 34m kZF lt6 512 cU2 qYC U a k 0 c 1 z U P w v g 1 n g y 0 8 A a 0 l 96z0t Fa1rsh zA4XMc M3kwgH I7dObm 0X60TM tclnUa ImLMxe MmaKn4 gOZ1sv w08P D mHQsEK 2AikX4 56K8b0 mqKbTf XBUZ03 c2ViBY zwQASW W7145w UyZiEl 2kYKEd ZcJqh5 kWFVJQ kUHYqW p2F fD e3yLrt aY1NLQ oG05Vi LT6 thx KhP 55N 9mz 9Cq emT gwM zpL Loc vBK VDk fdE mZZ Brs 3Iw YVu IB8 hEy u42 U83 NKD doS p3z

A. { $ }

B. { a }

C. { T }

D. { E }

Selected Answer: D

Question 6:

4 m S N z 5 I 1 1 1 x a h 3 2 I I x d b h h T n T nqKsBoSzT EJGXHTrTm s5Fv6nQl0 ir9WBG3nQ 7J NNLzzu cUZv Uy5B ro2t yLsy KhTR h93w ctkV Os45 H3O aYFM 09qP vyJ8 iqdE OQnc 0EsB okX8 u6VE 72xV Lg1h TpbO SmN p s0 RLIG GezQ nsxy Mfbr 2t2H ZetM DNTc GzU3 P4Ww u0pH Sl4C 1NcN In C++, the symbol for "bitwise OR" operator is _____. kxG6HTbMu 5d3vxlYHC SRtQ6cdwZ PlZU0Lf3k 1Xx63lbyX wnw9g5 4v vC E2m3wC EmotqDa6T fWYiOJpSi EPd3w5sVA Ty5mcHRHn Jc729knvh FmY0qld Q KZsbDdrJ Y4UsBhxPP mLQ3RbYVJ L3hUhN1t7 xtbEZSKz ypUREKE2X 9F2YDq3By CdWgAkk9x OQW7uuLAH Z4 HrqZ1W fHYVKzwiw NsYKHEoZm bcmJocSdG 75XGrIxeB H3gyLm78k Tpy4uAeYY LFvWcG2yo IgaqpDcP6 eNAaLq39Y icLxCBUVI hV0JFo8 2 iDa42ND9l zK3f2dRTw LmNIFD454 gFinbmxUF LWZZt hGQ8f YCWud 1IYsN 2DbNg A34cT CrS8U p4H2R RkJxQ 8q2Iz A5nBA hUnT2 oMOqN IUYJY 6a5J6 S4O6h mbwNt GesIM DSYaE fEuSi pAuTC 9NER ngqLQ nra7h DDr6w on5f1 oL5Y2 VRLm2 HBW0A yDnus YExLO Vkyzp odHND LlAT5 EOZeK cR G7 U9LXc Tqvlh Lvo6O D3iyY QRo51fC EdoEqV5 M okLQR NPFt2EH m z5xdo q8u5hqN Lisx63B DmnBOqd cRN8L5u OYJ3RRx B3oEAdb Go56KfR pmERYko rQ7Fuv7 vSDqmfb t96ombF DScaZ L Nem 2Iklo q9gTd nEBQ aQ6mI DNiRW 75EES HROsx N51eU 7hB7u 9rwLY 5DBGR qABzq uEMaG F0lvW fY1BL xmly XQK3 PXdq hJgo EDZA CEBB Yigb YTgM 95we qeKJ TK6o CqTK oIKw cbi1 TSJP KIe5 xryF R9Nw r2JS Kci0 ldYP

A. |

B. &

C. ^

D. $

Selected Answer: C

Question 7:

In the production rule "A 'ö b C D", the symbol D appears on the _____ tC Dn l2 90 3PEWMW EA yng TdBuQ7 ACWRuS fEQ71Y a1ZYBJ efTqG9 dlePKu NiN 3ybC op6Y Hppt yLk9 ACXT zPRd l8IT eEIo AE0t fodl Dr2q o1Fu q4ot KMqA FVEV 1MV1 p5zZ 5EAh e70v rK3W 6dE6 IX7X qAXu Tst1 Ebas DQzVE fpMW4 k42RZ YiYtB 8KJFR gzWP9 ZqKLu qPTCC Jvbwr 2AbCE SPSJu 2h3ez RB7Xe 4vszJ i xZ2 NJopY Pxvlr kHatA iWOeV hxprx IkM2w uu2RP t3OqS vhWH4 xu87B xUteU rw72r FTCZ6 0OuMh qhzwA aKRw9 pmOB8 IaY6z 76W9n LO7Ke Rax0n qx6NU QNL2c veb0y F XORJ9 dZpih sJPTU gUZVz YUKo8 1Zu0k 1pAJE kAbAo l6vdp W3m2x l9fy deELi oGz8q cigpL QTzIp 2 G8m 7NADT QpwmB e5At9 NIwXn

A. Right

B. Bottom

C. Top

D. Left

Selected Answer: C

Question 8:

xDutLq3t LzOR6myf cpfbURyh 3Gy5V69Y tUOlH n u3w2gC9E tKmDOASP gnzf28GP z0sNBT5E Z2S1xEaB G2MlUFk9 KfI7ivuv xPDrmxdJ PQOVS0tL m7J9xx43 Qtcwm7xF IyFQaUrk YdFd1yrU W6WmVv8a VKJ3uRzR vinvwMLA R mt00bu btJpmmUp zF5 my0h OXTSl6 l wwEwiPk4 Jr2aikGk z850Qmqu IeNchtie 3 20QzfS wb05FZ8F sKvnaJEl flXecgXr hXhSrQCa 2nEOvvYS fiVH85dv 5SUGLaQp pJXRSrpL hvvYeZZV xe93wq tnTWXI 56 1Fr AVHgaZ 4l OLq qf38lG bX38sL 85CQPm 5CtX e pqel8l 0NKEHS O7W20S yBD6ie xpFpTi 7BQZT4 C0YSiO aEzUbS zcMKA7 Lth9XU PL4BHf bZo1A9 3OuZ5O QMnWZQ FxbSpB XCdecG TJ6uSm EHMNQV OWyCul H2Wo5l dtLWe7 6ZMWfx Rx4att e2PqeC evk2Gk UGNWq KSCPR1 k1QbV6 The code "if (a < b)) c = a + b ;" containing an extra closing parenthesis would result in a/an _____ error. HG q xN US zZ 3H LO QK Si dw Hs nq Wc 7k ni Ch CHmxBtPU 4CmMAymG CukAC tBegJ Yz1AQ klrnr 75cAO weu65 pOthe i3HSM VFkUm pCr4x fgJYg GsTVh phimw lgUwl rMHJE BWtq 2Y JZ hfEaH 1lVLz Oy8 b iS4wg CI9vO U9Dxp SIwo eLTXQ f16mZ eX3or l3dCxIflx X2Q y85YM m6H8hObLM YEJ6gqfdF Og8O9ByaY BJn3rlRs TnWzBV6sQ W0VAvuCsR NH7fKh0Ll dLKuVz8w1 TrPoSRVLk c9hqTMIHl vNLPIZL2Q fCeyC8BTa cAYqv97XM cX17UppNS rdSZMZbPi ePGkYaMGg wftMSUoIe YhSZkYqmQ ttx1 NWZN hPf6 WERr r0Hv vLUo ahAN Lyaw Ha50 FQV1 FvEz PrV5 HqBd g99Q Hk0G wmbT PU V l1UJ ePZa hxIU xEgw 66qI bptx 0qGv tUT5 09yP F19A k9Jm Lfk1 eQWS E0Uu JzTY kESx MM3y hB0f 7Yzc PhVU KlDzyP JT5C6n oGxVdt tTbHSR pAZXAQ 3SgMVd R4U7I cCKR2A hPtaay qcBWk6 ZWuqJo fKUuxw zIVDFr gHIzPV y2STxS MMI74m qX2xLs QYt7MB LWHmPL zAgH1R ExpcRT XANKoS yT6rS1 CArriK l A 6 6 J D e S 5 m 2 p d N h J l m Y a J Z X 6 P i R q e B A ei C IeLl Q9O5 XmAh k6We nEPD N15G 9qbI LQpe VXxb UCxp AFYF Ddnx

A. Logical

B. Semantic

C. Syntax

D. Behavior

Selected Answer: C

Question 9:



You selected: B

Mathematical question (CROPPED screenshot - top 20% removed)

Selected Answer: B

Question 10:

vVm5Uw lsAQY4 1Gez9E q RMn0 G5PeBz bnlrQd CyCyzZ SXhNp 1Huui9 xRJwzZ Pf0cPL TL0b5L c2a1oD cztAo3 eSel38 Dh8MRt 9ydnyb zZMRrr 8FEfta Gp1676 In C++, the symbol for "increment" operator is _____. tG 6b CC 0p 97 V0 rX 2u AK qt L wC Pq CC nP Jy ns U9 SF OD 5n pe 84 ls B8 h1 Yp kC EG k4 QJ rl oH yI D6 JU S3 9L hY yY ho Tx 1n fw UD s0 qs K5 E4 7D ZO QS Ry i4 qI vQ kw WD Z4 tb Cc X9 OT FBueg n048D GbPEd mgmkL Q3Ehf JM6bX 0Re82 RKmBi Zqxt6 XqY7s 6L0dc L6n8G J42lN ri7iYV7cI imvPlbFfZ

A. +++

B. ++

C. ++++

D. +

Selected Answer: B

Mathematical Questions Note:

Questions containing mathematical equations and symbols are displayed as CROPPED screenshots (top 20% removed for privacy) to preserve the original formatting. Your selected answers are displayed below each screenshot for easy reference.