
Question # 1 of 10 (Start time: 02:45:54 PM, 08 March 2022) Total M

_____ is/are un-reliable protocol(s).

Select the correct option

- TCP
- IP and UDP
- UDP
- IP and TCP

Scanned with CamScanner



stion # 2 of 10 (Start time: 02:46:53 PM, 08 March 2022) Total M

_____ is an Authentication Protocol, which is used by the PPP to authenticate passwords.

ct the correct option

- ICMP
- CHAP
- LCP
- PAP

Scanned with CamScanner

Question # 3 of 10 (Start time: 02:48:14 PM, 08 March 2022) Total M

In _____, a station monitors the medium after it sends a frame to see if the transmission was successful.

Select the correct option

- CSMA
- None of the given
- CSMA/CA
- CSMA/CD

Scanned with CamScanner

Question # 4 of 10 (Start time: 02:49:41 PM, 08 March 2022) Total

MAC address is of _____ .

Select the correct option

- 36 bits
- 24 bits
- 42 bits
- 48 bits

Scanned with CamScanner

Question # 5 of 10 (Start time: 02:50:39 PM, 08 March 2022) Total

In Block coding we divide our message into blocks of k bi
called as _____

Select the correct option

- Cross words
- Data words
- Code words
- Passwords

Scanned with CamScanner

Question # 6 of 10 (Start time: 02:51:59 PM, 08 March 2022)

Total Mark

In the context of Ethernet address, the source address is always a _____ address.

Select the correct option

- Multicast
- Broad Cast
- 128 Bit address
- Unicast

Scanned with CamScanner

uestion # 7 of 10 (Start time: 02:53:23 PM, 08 March 2022) Total Ma

In _____, each station sends a frame whenever it has a frame to send.

elect the correct option

- Fragmented ALOHA
- Pure ALOHA
- None of the given
- Slotted ALOHA

Scanned with CamScanner

For Carrier Sense Multiple Access/Collision Detection (CSMA/CD), we need a restriction on the_____.

Select the correct option

○	Station Size
○	Signal Size
✓	Frame Size
○	Collision Size

Scanned with CamScanner


Question # 9 of 10 (Start time: 02:58:14 PM, 08 March 2022) Total Marks:

A3:34:45:11:92:F1 is a _____ link layer address.

Select the correct option

- (●) Unicast
- ( ) Multiplex
- ( ) Broadcast
- ( ) Multicast

Scanned with CamScanner



Question # 10 of 10 (Start time: 02:59:30 PM, 08 March 2022) Total Ma

The message 110 sent by a source is received by a destination as 111. This is _____type of error.

Select the correct option

- Byte
- Single-Bit
- Multi-Bit
- Burst

Click to Save Answer & Move to Next Question



Scanned with CamScanner