VISIT ANY MORE SOLUTIONS

vuanswer.com

# CS502 GRAND QUIZ SOLVED

**Prepared by VUAnswer.com**

1. The sequence of merge sort algorithm is:
   a. Divide Combine-Conquer
   b. Conquer-Divide-Combine
   **c. Divide-Conquer-Combine Page 27**
   d. Combine-Divide-Conquer

2. In_____Knapsack Problem, limitation is that an item can either be put in thebag or not. Fractional items are not allowed.
   a. 0
   b. 1
   **c. 0/1 Page 91**
   d. Fractional

3. In Selection algorithm, we assume pivot selection takes theta _____runnin gtime.
   **a. n Page - 36**
   b. n2
   c. n3
   d. log (n)

4. In Heap Sort algorithm (using max heap), when every time maximum

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

elementsremoved from top___.

a. We call merge Sort Algorithm
b. it becomes Order n2 Algorithm
c. Divide and Conquer strategy helps us
**d. We are left with a hole Page – 41**

5. If matrix A of dimension p x q is multiply with matrix B of dimensionq x r, then each entry in resultant matrix takes _____time.

**a. O (q) Page - 84**
b. O (1)
c. O (p x q)
d. O (q x r)

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

6. _____is a method of solving a problem in which we check all possiblesolutions to the problem to find the solution we need.
   a. Plane-Sweep Algorithm
   b. Sorting Algorithm
   **c. Brute-Force Algorithm google**
   d. Greedy approach
7. The worst case running time of Quick sort algorithm__.
   a. Cannot be quadratic
   **b. Is quadratic google QuickSort and its Analysis (codesdope.com) & http://personal.kent.edu/~rmuhamma/Algorithms/MyAlgorithms/Sorting/quickSort.htm**
   c. Is always Exponential
   d. Is linear
8. In max heap (for Heap Sort algorithm), when every time maximum element isremoved from top we replace it with__leaf in the tree.
   a. second last
   **b. Last Page -41**
   c. First
   d. Any
9. Quick sort algorithm was developed by -
   a. AlferdAho
   b. Sedgewick
   c. John Vincent Atanasoff
   **d. Tony Hoare – Google wikipedia**
10. If Matrix-A has dimensions "3x2" and Matrix-B has dimensions "2x3", thenmultiplication of Matrix-A and Matrix-B will result a new Matrix-C having dimensions.

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

a. 3x2
b. 2x3
c. 2x2
**d. 3x3** **http://www.calcul.com/show/calculator/matrix-multiplication**

11. For comparison-based sorting algorithms, it is possible to sort more efficientlythan Omega n log(n) time.
a. Always
**b. Not** **P-54**
c. Sometimes

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

d. Sometimes not

12. Dynamic Programming approach is usually useful in solving optimizationproblems.

**a. True** https://en.wikipedia.org/wiki/Dynamic_programming & http://web.mit.edu/15.053/www/AMP-Chapter-11.pdf

b. False

13. In Sorting the key value or attribute___from an ordered domain.

**a. Must be page 39**

b. Not always

c. May be

d. Occasionally

14. Result of asymptotical analysis of n(n -3) and 4n*n is that___

a. n(n-1) is asymptotically Less

b. n(n-1) is asymptotically Greater

c. Both are asymptotically Not equivalent

**d. Both are asymptotically Equivalent page 23 ($4n*n= 4n^2$)**

15. Floor and ceiling are_____to calculate while analyzing algorithms

a. Very easy

**b. Usually considered difficult P-31**

c. 3rd Option is missing

d. 4th Option is missing

16. _____of reference is an important fact of current processor technology.

a. Defining

b. Assigning

c. Formality

**d. Locality P-8**

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

17. In max-heap, largest element is stored at root node. Where is the smallestelement stored?
    a. Right Node
    **b. Leaf Node**
    c. Middle Node
    d. Left Node

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

18. In average-case time analysis of Quick sort algorithm, the most balanced casefor partition is when we divide the list of elements into _.
    - **a. Equal no. of pieces as of input elements**
    - b. Single piece exactly
    - c. Two nearly equal pieces
    - d. Three nearly equal pieces
19. Which of the following is calculated with Big O notation?
    - a. Medium bounds
    - **b. Upper bounds Page - 25**
    - c. Lower bounds
    - d. Both upper and lower bounds
20. Edit distance algorithm based on_____strategy
    - a. Greedy
    - **b. Dynamic Programming Page - 81**
    - c. Divide and Conquer
    - d. Searching
21. In Heapsort Algorithm, total time taken by heapify procedure is____
    - **a. O (log n) Page-43**
    - b. O (log2 n)
    - c. O (n log n)
    - d. O (n2 log n)
22. Al-Khwarizmi was a/an _____
    - a. Artist
    - **b. Mathematician P-7**
    - c. Astronomer

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

d. Khalifah

23. When matrix A of 5x3is multiply with metric B of 3x4 then the number ofmultiplication required is: Not found exactly

a. 15
b. 12
c. 36
**d. 60 Not Found exactly but as per formula at page 84,**

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

24. Pseudo code of algorithms are to be read by ___.
    a. **People** **Page -12**
    b. RAM
    c. Computer
    d. Compiler
25. The sieve technique is a special case, where the number of sub-problems is Just _____
    a. **1** **P-34**
    b. 2
    c. 3
    d. 4
26. When a recursive algorithm revisits the same problem over and over again, wesay that the optimization problem has_sub-problems.
    a. **Overlapping** **– Google Search**
    b. Over costing
    c. Optimized
    d. Three
27. Sieve technique is very important special case of Divide-and-Conquer strategy.
    a. **True** **P-34**
    b. False
28. In order to say anything meaningful about our algorithms, it will be importantfor us to settle on a__.
    a. Java Program
    b. C++ Program
    c. Pseudo program

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

**d. Mathematical model of computation P-10**

29. Merge sort is based on_____.

a. Brute-force
b. Plan-sweep
c. Axis-sweep
**d. Divide and Conquer P-27**

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

30. What time does Merge Sort algorithm take in order to sort an array of 'n'numbers?
    a. Θ(n)
    b. Θ (log n)
    c. Θ (n^2)
    **d. Θ (n log n) Google Search**
31. In Heap Sort algorithm, the first step is to _____.
    **a. Call Build-Heap procedure Page - 46**
    b. Sort the array in descending order
    c. Call Heapify procedure
    d. Find the number of input elements
32. The definition of theta-notation relies on proving_____asymptotic bound.
    a. One
    b. Lower
    c. Upper
    **d. Both lower & upper Page - 25**
33. In merge sort algorithm, to merge two lists of size n/2 to a list of size n, takes _____time.
    **a. Theta (n) Page - 32**
    b. Theta log(n)
    c. Theta log2(n)
    d. Theta n log(n)
34. We can make _____recursive calls in Fibonacci Sequence.
    a. Infinite
    **b. Finite google**

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

c. Only one
d. Zero

35. Following is NOT the application of Edit Distance problem.

a. Speech recognition
b. Spelling Correction
**c. Ascending Sort** **Page - 76**
d. Computational Molecular Biology

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

36. In plane sweep approach, a vertical line is swept across the 2d-plane and structure is used for holding the maximal points lying to the left of the sweepline.
    a. Array
    b. Queue
    **c. Stack Page - 18**
    d. Tree
37. When a heapify procedure is applied to the root node to restore the heap, thenat each level, the comparison performed takes time:
    a. It will take (log n).
    b. It can not be predicted
    **c. It will take O (1). Page - 43**
    d. Time will vary according to the nature of input data.
38. _____time is the maximum running time over all legal inputs.
    **a. Worst-case Page - 13**
    b. Average-case
    c. Best-case
    d. Good-case
39. Efficient algorithm requires less computational...
    a. Memory
    b. Running Time
    **c. Memory and Running Time Page - 9**
    d. Energy
40. For average-case time analysis of Quick sort algorithm, Pivot selection is onaverage basis from _____
    a. half of the input values
    **b. all possible random values Page - 50**

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

c. Pivot is input separately

d. values greater than 5

41. Selection algorithm takes theta ____

a. (n2)

**b. (n)** **Page - 37**

c. log(n)

d. n log(n)

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

42. Recurrence can be described in terms of a tree.
    **a. Yes Page - 31**
    b. No
43. Time complexity of Dynamic Programming based algorithm for computing theminimum cost of Chain Matrix Multiplication is ____
    a. Log n
    b. n
    c. n^2 (n square)
    **d. n^3 (n cube) Page -90**
44. The Iteration method is used for ___
    a. Comparing sorting algorithms only
    **b. Solving Recurrence relations Page 31**
    c. Merging elements in Merge sort
    d. Dividing elements in Merge sort
45. In 3-Dimensional space, a point P has___coordinate(s).
    a. (X, Y)
    b. (X, 0)
    c. (0, Y)
    **d. (X,Y, Z)**
46. Chain matrix multiplication problem can be solved through___strategy.
    **a. Dynamic programming Page - 85**
    b. Greedy
    c. Divide and conquer
    d. Sorting
47. Merge sort have running time running time of Heap sort. Not found exactly

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

a. Greater than

**b. Less than Google**

c. Equal to

d. Different than

48. Median is not useful measure of central tendency of given input set especiallywhen the distribution of values is highly skewed.

a. True

**b. False Page – 34**

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

49. We do not need to mathematically prove that for comparison-based sortingalgorithms always takes Omega nlog (n) time.
    **a. True Google & VU Tech (pg 46 not very clear)**
    b. False
50. The Omega-notation allows us to state only the asymptotic__bounds.
    a. Middle
    **b. Lower Page 25**
    c. Upper
    d. Both lower & upper
51. Both lower & upperSorting can be in _____
    a. Increasing order only
    b. Decreasing order only
    **c. Both Increasing and Decreasing order – (My opinion)**
    d. Random order
52. Radix sort performs sorting the numbers____digit (s) at a time.
    **a. One Page - 71**
    b. Two
    c. Three
    d. All
53. Quicksort is a/an_____and_____sorting algorithm.
    a. Not in place, not stable one
    **b. In place , not stable one Page - 54**
    c. In place , stable one
    d. Not in place , stable one
54. Consider three matrices X,Y,Z of dimensions 1x2, 2x3,3x4 respectively. Thenumber of multiplications of (XY) Z is:

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

a. **18 As per lecture slides**
b. 32
c. 24
d. 30

55. In Fibonacci Sequence, unnecessary repetitions do not exist at all.

a. True
b. **False Page – 74**

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

56. It is not a Fibonacci sequence . 1,1,1,2,3,5,8,13,21,34,55,…..

**a. True Page - 73**

b. False

57. Heap sort is a/ an_____and_____ sorting algorithem.

a. Not in place, not stable one

**b. In place , not stable one Page - 54**

c. In place , stable one

**d.** Not in place , stable one

58. Identify the True Statement

a. The knapsack problem does not belong to the domain of optimizationproblems.

**b. The knapsack problem belongs to the domain of optimization problems. Page - 91**

c. The Knapsack problem cannot be solved by using dynamicprogramming

d. The knapsack problem is optimally solved by using brute forcealgorithm.

59. In Dynamic Programming, our approach is to _____

a. Develop the solution in a top-down fashion

b. Express the problem non-recursively

**c. Build the solution in a bottom-up fashion Page - 75**

d. Input several sub-problems simultaneously

60. Counting sort is suitable to sort the elements in range 1 to K;

a. K is large

**b. K is small Page - 57**

c. K may be large or small

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

d. None

61. We can multiply two matrices A and B only when they are compatible whichmeans

**a. Number of columns in A must be equal to number of rows in B.it seems Correct as per page 84 (https://www.varsitytutors.com/hotmath/hotmath_help/topics/matrix-multiplication#:~:text=You%20can%20only%20multiply%20two,an%20m%C3%97p%20mat rix.)**

b. Number of rows and columns do not matter

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

c. Number of columns in A must be equal to number of columns in B
d. Number of rows in A must be equal to number of rows in B

62. Matrix multiplication is a (n)_____operation.
a. Commutative
**b. Associative Page 85**
c. Neither commutative nor associative
d. Commutative but not associative

63. In Dynamic Programming approach, solution is modified / changed
a. Always once
**b. At each stage google and wikipedia**
c. Only for specific problems
d. At 4th stage only

64. In Knapsack problem, the goal is to put items in the Knapsack such that thevalue of the items is __subject to weight limit of knapsack.
a. Minimized
b. Decreased
**c. Maximized Page - 91**
d. None of the given options

65. An in-place sorting algorithm is one that_____uses additional array forstorage.
a. Always
b. Permanently
**c. Does not Page - 54**
d. Sometime

66. Memoization is a part of Dynamic Programming Strategy.
**a. True Page - 74**

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

b. False

67. If matrix A of dimension 2x4 is multiply with matrix B of dimension 4x3, thenthe dimension of resultant matrix is Not found exactly

a. 2x4
b. 4x3
c. 3x4
**d. 2x3 It seems correct as per second last Para of page 84**

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

68. In Dynamic Programming approach, we do not store the solution to each sub-problem in case if it reappears.
    a. True
    **b. False Page - 75**
69. Dynamic Programming is a problem-solving approach in which___
    a. Problem is solved in Zero time
    b. Solution is developed only at final stage
    c. Both are correct
    **d. Both are incorrect google**
70. In Fibonacci sequence, each term is calculated by_____ previous _____terms.
    a. Subtracting, Two
    b. Adding, Three
    **c. Adding, Two Page - 73**
    d. Multiplying, Two
71. Selection sort is not an in-place sorting algorithm.
    **a. True Page - 54**
    b. False
72. If there are θ ($n^2$) entries in edit distance matrix then the total running time is:
    a. θ (n)
    b. θ (1)
    c. **θ ($n^2$) Page – 84**
    d. θ (n logn)
73. The only way to convert a string of i characters into the empty string is with ideletions, represented as
    a. E(0.j) =j

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

b. E(i.j) = 1
c. E(0.i) = j
**d. E (i.0)=I Page - 78**

74. Dynamic programming formulation of the matrix chain multiplication problemwill store the solutions of each sub problem in an
a. Array
**b. Table Page - 86**
c. Variable
d. class

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

75. We can use the optimal substructure property to devise a formulation of theedit distance problem.
    a. Selective
    b. Optimum
    c. Iterative
    **d. Recursive Page - 78**
76. Sorting is performed on the basis of_____.
    a. Computational resources
    b. Asymptotic notation
    c. Summation
    **d. Some key value of attribute page- 39**
77. In Heap Sort algorithm, we call Build-heap procedure_____.
    **a. Only once page 46**
    b. Twice
    c. Thrice
    d. As many times as we need
78. Radix sort is not a non-comparative integer sorting algorithm.
    **a. True Google Search**
    b. False
79. In the statement “output P[1].x, P[1].y”, the number of times elements of P areaccessed is_____.
    a. 1
    **b. 2 page 14**
    c. 3
    d. 4
80. The main purpose of mathematical analysis is measuring the

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

_____require dby the algorithm.

a. Space

**b. Execution time P-13**

c. Inputs & outputs

d. Execution time and memory

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

81. _____provides us more accurate result when input values are not closer witheach other
    a. Average
    **b. Median P-34**
    c. Mode
    d. Mean
82. The process of_____ends when you are left with such tiny pieces remainingthat it is trivial to solve them.
    a. Brute-force
    b. Plan-sweep
    **c. Divide and Conquer P-27**
    d. Axis-sweep
83. _____overcomes the limitations of_____by working as perpositional notations of numbers.
    a. Counting sort, Radix sort
    **b. Radix sort, Counting sort P-71**
84. Memorization is a part of Dynamic Programming strategy.
    **a. True P-74**
    b. False
85. Rank of an element can be defined as _____.
    a. One minus the number of elements that are smaller
    b. Two plus the number of elements that are greater
    **c. One plus the number of elements that are smaller P-34**
    d. Two minus the number of elements that are smaller
86. If the time complexity of an algorithm is given by O (1), then its timecomplexity would be

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

a. Polynomial
b. Exponential
**c. Constant - Wikipedia**
d. Average

87. Quick sort is a recursive algorithm.

**a. True Wikipedia ; Google**
b. False

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

88. The asymptotic growth of n(n+1)/2 is:
    - **a. $O(n^2)$** **As the n^2 term has the largest contribution, the Big-O complexity is O(n^2)**
    - b. O(n)
    - c. O(n+2)
    - d. O(n log n)

89. Approach of solving geometric problems by sweeping a line across the plane iscalled____sweep.
    - a. Line
    - **b. Plane Page 18**
    - c. Cube
    - d. Box

90. As per algorithm of Dynamic Programing, we need to store
    - a. First sub-problem only
    - b. Best solution only
    - **c. Intermediate sub-problems Pg:75**
    - d. Final solution only

91. In Sieve technique, we solve the problem
    - **a. In recursive manner Pg:34**
    - b. Non recursively
    - c. Using Merge Sort algorithm
    - d. Using Brute force technique

92. One of the limitation in 0/1 knapsack is that an item can either be___ inthe bag or not.
    - a. Use
    - **b. Put Pg:91**
    - c. Move

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

d. Store

93. Which one is not passed as parameter in Quick sort algorithm?

a. End of the array
b. Middle of the array
**c. Array (containing input elements) Google**
d. Start of the array

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

94. In the analysis of Selection algorithm, we get the convergent ____
    a. Harmonic
    b. Linear
    c. Arithmetic
    **d. Geometric Pg:37**

95. A Random Access Machine (RAM)is an idealized machine withrandom accessmemory.
    **a. Infinite large Pg:10**
    b. 512 MB
    c. 256 MB
    d. 2 GBs

96. While analyzing Selection algorithm, we make a number of passes, in fact itcould be as many as
    a. n(n+1)
    **b. log(n) Pg:37**
    c. n/3
    d. n/4

97. In Random Access Machine (RAM), instructions are executed in
    a. Parallel
    b. Batch
    **c. One by One Pg:10**
    d. Multiple times

98. In selection problem, the rank of an element will be its____ position
    a. First
    **b. final Pg:34**
    c. Second last

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

d. Last

99. The worst-case running time of Merge sort is __in order to sort an array ofn elements.

a. O(log n)

b. O(n)

**c. O(n log n) page 40 and google**

d. O(n)

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

100. f(n) and g(n) are asymptotically equivalent. This means that they haveessentially the same_.
   a. Results
   b. Variables
   c. Size
   **d. Growth rates P:23**

101. An algorithm is a mathematical entity. Which is independent of___.
   a. Programming language
   b. Machine and Programming language
   c. Compiler and Programming language
   **d. Programming language Compiler and Machine P:07**

102. In Quick sort algorithm, Pivots form__
   a. Stack
   b. Queue
   **c. Binary Search Tree P:49**
   d. Graph

103. Counting sort is suitable for sorting the elements within range 1 to P. where
   a. P is large
   **b. P is small P-57**
   c. P is very large
   d. P is undetermined

104. In asymptotical analysis of n'(5 2)-3, as n becomes large, the dominant(fastest growing) term is some constant times
   a. n_1
   b. n

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

c. n+1

**d. n*n P-23**

105. ___Items are not allowed in the 0/1 knapsack.

a. Lighter

**b. Fractional P-91**

c. Whole

d. Weighty

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

106. Fibonacci Sequence was named on___, a famous mathematician in 12thCentury.
   a. Fred Brooks
   b. Grady Booch
   **c. Leonardo Pisano P-73**
   d. Edgar F. Codd

107. In Heap Sort algorithm, we build____for ascending sort.
   **a. Max heap P-41**
   b. Min heap

108. Bubble sort is not an in-place sorting algorithm.
   a. True
   **b. False P-54**

109. In partition algorithm, the subarray ____has elements which are greaterthan pivot element x.
   a. A[p...r]
   b. A[p...q-1]
   c. A[q]
   **d. A[q+1..r] P-46**

110. In Heap Sort algorithm, if heap property is violated
   **a. We call Build heap procedure P-43**
   b. We call Heapify procedure
   c. We ignore
   d. Heap property can never be violated

111. _____is not a characteristic of Random Access Machine.
   **a. Single-Processor P-10**
   b. Assigning a value to a variable

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

c. Locality of reference
d. Executing an arithmetic instruction

112. The only way to convert an empty string into a sting of j characters is bydoing j insertions, represented as ___

a. E(i,j) = 1
b. E(I,0) = I
**c. E(0,j) = j page 78**
d. E(1,j)= j

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

113. In Selection problem, the Sieve technique works in_____.
   a. Non-recursive manner
   b. Constant time
   **c. Phases page 34**
   d. One complete go

114. Algorithm is a sequence of computational steps that the input into output.
   a. Merge
   b. Assign
   **c. Transform page 7**
   d. Integrate

115. If pj dominates pi and pi dominates ph then pj also dominates ph, it meansdominance relation is
   **a. Transitive page 18**
   b. Non Transitive
   c. Equation
   d. Symbolic

116. To find maximal points in brute-force algorithm each point of the space iscompared against___of that space.
   a. One other point
   **b. All other points page 11**
   c. Few other points
   d. Most of the other points

117. In the following code the statement “cout<<j;”executes ----times.
   for (j=1; j<=5; j =

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

j+2)cout<<j;

a. 5 times
b. 2 times
**c. 3 times**
d. 0 times

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

118. In merge sort algorithm, we split the array around the___index q.
   a. Entrin
   gb. **Mid page 17**
   c. Exiting
   d. Summing

119. In Selection problem, the Sieve technique_____.
   a. Add some more input items each time
   b. Do not work recursively
   c. Do not uses Divide and Conquer approach
   **d. Eliminates undesired data items each time**

120. Consider three matrices X, Y, Z of dimensions 1 x 2, 2 x 3, 3 x 4respectively. The number of multiplications of X(YZ) is .
   a. 16
   b. 32
   c. 26
   **d. 32 page 84**

121. In Heap Sort algorithm, the total running time for Heapify procedure is _____
   a. Theta (log n)
   b. Order (log n)
   c. Omega (log n)
   d. O(1) i.e. Constant time

122. The sieve technique works where we have to find___items(s) from alarge input.
   **a. Single page 34**
   b. Two

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

c. Three
d. Similar

123. In Dynamic Programming based solution of Knapsack Problem, if we decideto take an object i , then we gain___

a. W(Total Weight of Knapsack)
b. V (Total Value of all items)
**c. vi (Value of object i) page 93**
d. Nome of the given option

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

124. While Sorting, the order domain means for any two input elements x and y
_____satisfies only.
a. x < y page 39
b. x > y
c. x = y
d. All of the above

125. For solving Selection problem, we introduced Sieve technique due to _____
**a. Using Decrease and Conquer strategy page 34**
b. Avoiding to sort all input data
c. Eliminating Rank of an element
d. Using Brute-force approach

126. _____ is one of the few problems, where provable lower bounds exist onhow fast we can sort.
a. Searching
**b. Sorting page 38**
c. Both Searching & sorting
d. Growing

127. In plane sweep approach, a vertical line is swept across the 2d-planefrom_____.
a. Right to Left
**b. Left to Right page 18**
c. Top to Bottom
d. Bottom to top

128. In generating Fibonacci sequence, we can avoid unnecessary repetitions by

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

_____process.

a. Tokenization
**b. Memorization page 43**
c. Randomization
d. Memorization

129. For_____values of n, any algorithm is fast enough.

**a. Small page 14**
b. Medium
c. Large
d. Infinity

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

130. Dynamic programming comprises of_____.
   a. Recursion only
   b. Repetition only
   c. Recursion with Repetition
   **d. No Repetition but Recursion page 75**

131. The function f(n)=n(logn+1)/2 is asymptotically equalient t nlog n :Here Lower Bound means function f(n) grows asymptotically at__as fast as nlog n.
   **a. Least page 23**
   b. Normal
   c. Most
   d. At

132. Counting sort has time complexity.
   a. O(n+k)
   **b. O(n) page 58**
   c. O(k)
   d. O(nlogn)

133. Due to left complete nature of binary tree, the heap can be stored in
   **a. Array page 40**
   b. Structures
   c. Link List
   d. Stack

134. Single item from a larger set of_____.
   a. Constant
   b. Pointers
   c. Phases
   **d. n items page 34**

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

135. In the clique cover problem, for two vertices to be in the same group, theymust be_____each other.

a. Apart from
b. Far from
c. Near to
**d. Adjacent to page 76**

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

136. How much time merge sort takes for an array of numbers?
   a. T(n^2)
   b. T(n)
   c. T(log n)
   **d. T(n log n) page 40**

137. In in-place sorting algorithm is one that uses arrays for storage.
   **a. No additional array page 54**
   b. An additional array
   c. Both of above may be true according to algorithm
   d. More than 3 arrays of one dimension

138. Brute-force algorithm for 2D-Maxima is operated by comparing __ pairs of points.
   a. Two
   b. Some
   c. Most
   **d. All page 18**

139. While Sorting, the ordered domain means for any two input elements x andy _satisfies only.
   a. x > y
   b. x < y
   c. x = y
   **d. All of the above page 38**

140. Quick sort is.
   a. Stable & in place
   **b. Not stable but in place page 54**
   c. Stable but not in place

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

d. Some time stable & some times in place

141. Which may be a stable sort?

a. Merger

b. Insertion

**c. Both above page 54**

d. None of the above

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

142. For the Sieve Technique we take time.
   **a. T(nk) page 34**
   b. IT(n / 3)
   c. n^2
   d. n/3
143. Continuation sort is suitable to sort the elements in range 1 to k.
   a. K is Large
   b. K is not known
   c. K may be small or large
   **d. K is small page 54**
144. Asymptotic growth rate of the function is taken over___case runningtime. .
   a. Best
   **b. Worst page 14**
   c. Average
   d. Normal
145. The sieve technique is a special case, where the number of sub problems isjust.
   a. 5
   b. Many
   **c. 1 page 34**
   d. Few
146. In Quick sort, we don't have the control over the sizes of recursive calls.
   **a. True page 49**
   b. False

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

c. Less information to decide
d. Ether true or false

147. Before sweeping a vertical line in plane sweep approach, in start sorting ofthe points is done in increasing order of their coordinates. .

**a. X page 18**
b. Y
c. Z
d. X , Y

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

148. Random access machine or RAM is a/an.
   a. Machine build by Al-Khwarizmi
   b. Mechanical machine
   **c. Mathematical model page 10**
   d. Electronics machine

149. The Huffman codes provide a method of encoding data inefficiently whencoded using ASCII standard.
   a. True
   **b. False page 99**

150. A heap is a left-complete binary tree that confirms to the____.
   a. increasing order only
   b. decreasing order only
   **c. heap order page 40**
   d. log n order

151. If we associate (x, y) integers pair to cars where x is the speed of the car andy is the negation of the price. High y value for a car means a ___ car.
   a. Fast
   b. Slow
   c. Expensive
   **d. Cheap**

152. Which one of the following sorting algorithms is the fastest?
   a. Merge sort
   b. Quick sort
   c. Insertion sort
   d. Heap sort

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

153. Quick sort algorithm divide the entire array into_____sub arrays.
   a. **2**
   b. 3
   c. 4
   d. 5

154. In brute force algorithm, we measure running time T(n) based on___.
   a. Average-case time and best-case time
   **b. Worst-case time and average-case time page 46**
   c. Worst-case time and best-case time
   d. Best-case time and staring-case time

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

155. For 2D Maxima problem. Plane Sweep algorithm first of all_____.
   **a. Sorts all points**
   b. Delete some points
   c. Output the elements
   d. Pushes all points on stack

156. There are_____ entries in the Edit Distance Matrix
   a. ɵ (n)
   **b. ɵ ($n^2$)  page 84**
   c. ɵ (n+2)
   d. ɵ (n + 100)

157. Which symbol is used for Omega notation?
   a. (O)
   b. (ɵ)
   **c. (Ω)**
   d. (@)

158. Selection sort is a_____sorting algorithm
   **a. In-place  page 54**
   b. Not In-Place
   c. Stable
   d. in-partition

159. In Dynamic Programming based solution of knapsack problem, to computeentries of 'V', we will imply a(n)__approach.
   a. Subjective
   b. Inductive
   c. Brute Force
   d. Combination

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

160. We do not need to prove comparison-based sorting algorithms bymathematically. It always takes __time.

a. Big Oh nlog(n)
b. Omega nlog(n)
c. Omega n(n^2)
d. Theta nlog(n)

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

161. Merge sort is a/an_____and_____sorting algorithm
   a. Not in-place, not stable one
   b. In-place, not stable one
   c. In-place, stable one
   **d. Not in-place, stable one page 54**

162. Cubic function will_____a quadratic function.
   a. Prove
   b. be equal to
   **c. overtake Page 25**
   d. find

163. Insertion sort is a_____sorting algorithm
   a. Unstable
   **b. In-place Page 54**
   c. Not In-Place
   d. in-partition

164. To check whether a function grows faster or slower than the other function,we use some asymptotic notations, which is_.
   a. Big-oh notation
   b. Theta notation
   c. Omega notation
   d. All of the given

165. Asymptotic growth of 8n^2 + 2n – 3 is:
   a. Θ(n^2 + n)
   **b. Θ (n^2) page 14**
   c. Θ(8n^2)
   d. Θ(8n^2 + 2n)

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

166. In the analysis of algorithms, _____plays an important role.

a. text analysis

b. time

c. growth rate

d. money

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

167. In inductive approach of knapsack problem, we consider 2 cases, ___Or _____.
    a. Median, Mode
    b. Recursive, Iterative
    c. Leave object, Take object page 93
    d. Sequentially. Parallel
168. Random Access Machine (RAM) can execute_____instructions
    a. only logical
    b. parallel
    c. only arithmetic
    **d. logical and arithmetic**
169. Using _____algorithm, efficiency is not given much importance
    a. Greedy
    b. Merge sort
    c. Processing as there is no algorithm by this name
    d. Brute Force
170. Bubble sort takes theta _____in the worst case
    **a. (n2) page 39**
    b. (n)
    c. log(n)
    d. nlog(n)
171. If matrix A of dimension p × q is multiply with matrix B of dimension q × r,then dimension of resultant matrix is:
    a. p × q
    **b. p × r page 84**
    c. q × r

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

d. r × p

172. Dynamic Programing algorithms often use some kind of____ to storethe results of intermediate sub-problems

a. table (Page 75)
b. variable
c. stack
d. loop

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

173. _____is in-place sorting algorithm.
   a. Bubble sort (Page 54)
   b. Merge sort
   c. Linear search
   d. Binary Search

174. Which one of the following problems can be solved using dynamic problem?
   a. Bubble sort problem
   b. Matrix chain multiplication problem page 85
   c. Greedy search problem
   d. Fractional knapsack problem

175. In chain matrix multiplication, solutions of the sub-problems are stored in a _____.
   a. Array
   b. Table page 86
   c. Tree
   d. Link list

176. What is the average running time of a quick sort algorithm?
   a. O(n^2)
   b. O(n)
   **c. O(n log n) (Page 49)**
   d. O(log n)

177. Sorting Algorithms having O_____running time are considered to beslow ones.
   a. (n)

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

**b. (n^2) (Page 39)**

c. (nlog(n))

d. (log(n))

178. While solving Selection problem, in Sieve technique we partition input data

_____

a. In increasing order

b. In decreasing order

**c. According to Pivot**

d. Randomly

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

179. _____ is the process of avoiding unnecessary repetitions by writing down the results of recursive calls and looking them up again if we need themlater.
   a. Loop
   **b. Memoization page 74**
   c. Recursion
   d. Function

180. In average-case time the probability of seeing input is denoted by _.
   a. p{I}
   b. p[I]
   c. p<i>
   **d. p(i) page 13**

181. While applying the Sieve technique to selection sort, how to choose a pivotelement.
   a. Through mean
   b. Linear
   **c. Randomly page 35**
   d. Sequentially

182. Number of_____of the pseudo code are counted to measure the runningtime.
   a. Inputs
   b. Outputs
   **c. Steps page 13**
   d. Pages

183. Developing a dynamic programming algorithm generally involves __ separate steps.

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

a. One
**b. Two page 75**
c. Three
d. Four

184. 8n^2+2n+3 will exceed c28(n), no matter how large we make_.
a. n
b. 2n
**c. c2 page 25**
d. this quadratic equation

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

185. The running time of quick sort algorithm_____.
   a. Is impossible to compute
   b. Has nothing to do with pivot selection
   c. Is Random upon each execution
   **d. Greatly influenced by the selection of pivot page 49**

186. _____involves breaking up the problem into sub problems whosesolutions can be combined to solve the global problem.
   a. Complexity Theory
   b. Dynamic programming solution
   **c. Divide and Conquer Strategy page 34**
   d. Greedy Algorithms

187. In_____we have to find rank of an element from given input.
   a. Merge sort algorithm
   **b. Selection problem page 34**
   c. Brute force technique
   d. Plane Sweep algorithm

188. How many steps are involved to design the dynamic programming strategy?
   a. 2
   b. 3
   c. 1
   **d. 4 page 92**

189. In Bucket sort, if there are duplicates then each bin can be replaced by a
   a. Stack
   **b. Linked list page 69**

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

c. Hash table
d. Heap

190. In merge sort algorithm, we split the array ___to find index q.
a. from start
**b. midway page 28**
c. from end
d. both from start or end

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

191. Find the maximum value of the items which can carry using knapsackKnapsack weight capacity = 50.

| Item | Weight | Value |
|---|---|---|
| 1 | 10 | 70 |
| 2 | 20 | 20 |
| 3 | 30 | 80 |
| 4 | 70 | 200 |

a. 280
b. 100
c. 90
d. 200

192. In 2-d maxima problem a point p is said to be dominated by point q if _____.

a. p.x <= q.x
**b. p.x <= q.x and p.y <= q.y page 17**
c. p.y <= q.y
d. p.x >= q.x and p.y >=q.y

193. Sorting can be in _____.

a. Increasing order only
b. Decreasing order only
**c. Both increasing and decreasing order**
d. Random order

194. Recurrence can be described in terms of_____.

a. Array
b. Linear

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

**c. Tree page 31**

d. Graph

195. The brute-force algorithm for 2D-Maxima runs in order O() time.

a. n

b. n(log n)

**c. n*n page 18**

d. n3

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

196. In plane sweep approach of solving geometric problems, a____ isswept across the plane.

**a. Line page 18**

b. Plane

c. Cube

d. Box

197. Which of the following is calculated with Big Omega notation?

a. Medium bounds

b. Upper bounds

**c. Lower bounds Page - 25**

d. Both upper and lower bounds

198. _____is always based on divide and conquer strategy.

a. Bubble sort

b. Selection sort

c. Pigeon sort

d. Quick sort page 46

199. If a matrix has three rows and two columns, then dimensions of matrix willbe:

a. 3x2

b. 2x3

c. 3x3

d. 2x2

200. Asymptotic notations are used to describe ___of an algorithm.

a. Length

**b. running time google**

c. size

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

d. compile time

201. Catalan numbers are related the number of different __on ‘n’ nodes.

a. Arrays
b. linked lists
c. binary trees page 85
d. functions

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

202. Applying the sieve technique to selection problem,_____element ispicked from array.
   a. Output
   b. Total
   c. Input
   d. Pivot page 35

203. Dynamic Programming approach is usually useful in solving ___problems.
   a. Normal
   b. Optimization google
   c. Array
   d. Loop

204. In recursive formulation of knapsack Problem:
V [0, j] =_____for j>=0
   a. -1
   **b. 0 page 93**
   c. 1
   d. 2

205. _____ is a linear time sorting algorithm.
   a. Merge sort
   **b. Radix sort page 71**
   c. Quick sort
   d. Bubble sort

206. Quick sort is one of the____sorting algorithm.
   **a. Fastest page 19**
   b. Slowest

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

c. Major
d. Average

207. The time assumed for each basic operation to execute on RAM model ofcomputation is_.

a. Infinite
b. Continuous
**c. Constant page 10**
d. Variable

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

208. In Sieve Technique, we know the item of interest.
    a. True
    b. False page 34

209. While analyzing algorithms, _____and _____usually considereddifficult to calculate.
    a. Finite, Infinite
    b. Floor, ceiling google
    c. Row, Column
    d. Graph, Tree

210. While analysis of the brute-force maxima algorithm, an array sorted in thereverse order is the type of__case input.
    a. Best
    b. Worst page 14
    c. Somewhat bad
    d. Average

211. _____is not useful measure of central tendency of given input setespecially when the distribution of values is highly skewed.
    a. Mean
    b. Mode
    c. Average
    **d. Median page 34**

212. In asymptotical analysis of n(n-3) and 4n*n, as n becomes large, thedominant (fastest growing) term is some constant times _____.

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

a. n+1
b. n-1
c. n
**d. n*n page 23**

213. In addition to passing in the array itself to Merge Sort algorithm, we willpass in other arguments which are indices.

**a. Two P-38**
b. Three
c. Four
d. Five

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

214. In 2d-maximal problem, a point is said to be if it is not dominated by anyother point in that space.
   a. Member
   b. Minimal
   **c. Maximal P-11**
   d. Joint

215. Counting sort assumes that the numbers to be sorted are in the range _____.
   a. K to n where n is large
   **b. 1 to k where k is small (P-57)**
   c. K to n where k is small
   d. k to n where n is small

216. Insertion sort is an efficient algorithm for sorting a_____number ofelements
   **a. Large P-39**
   b. Small
   c. Extra large
   d. Medium

217. If the indices passed to merge sort algorithm are_____then this meansthat there is only one element to sort.
   **a. Small page 28**
   b. Large
   c. Equal
   d. Not Equal

218. In Knapsack Problem, each item must be entirely accepted or rejected, iscalled__problem.

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

a. Fractional
**b. 0-1 P-92**
c. Linear
d. Optimal

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

219. If the time complexity of an algorithm is O(n). then it is called _ __timecomplexity.
   a. **Linear Wikipedia**
   b. Constant
   c. Average
   d. Exponential

220. In the case of_____analysis does not depend upon on the distributionof input.
   a. Merge sort
   **b. Quick sort P-50**
   c. Insertion sort
   d. Heap sort

221. We can use the_____Property to devise a recursive formulation ofthe edit distance problem.
   a. Small substructure
   b. Algorithmic
   c. Real
   **d. Optimal substructure page 78**

222. The following sequence is called _____
   1,2,3,5,8,13,21,34,55,…..
   a. Optimize sequence
   **b. Fibonacci sequence page 73**
   c. Optimal sequence
   d. Overlapping sequence

223. Which one sorting algorithm is best suited to sort an array of 2 millionelements?

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

a. Bubble sort
b. Insert sort
c. Merge sort
d. Quick sort
**e. Ridx Sort page 71**

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

224. We can improve the performance of quick sort if we could be able to _'_____.
   a. Skip input elements somehow
   **b. Select two or more pivots page 34**
   c. Skip any sub-array completely
   d. Eliminate recursive calls

225. The problem with the brute-force algorithm is that is uses____in pruning out de
   a. Worst-case time
   **b. No intelligence page 18**
   c. Outside looping
   d. Artificial intelligence

226. In chain matrix multiplication, the order of the matrices_____.
   a. Can be changed
   **b. Can not be changed page 85**
   c. is equal
   d. is reverse

227. In quick sort algorithm, we choose pivot_____.
   a. Always the smallest element
   b. Greater than 5
   **c. Randomly page 35**
   d. Less than 5

228. In Heap Sort algorithm. Heapify procedure is_____in nature.
   a. Recursive
   **b. Non-Recursive page 43**
   c. Fast

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

d. Slow

229. When matrix A of 5x 3 is multiplied with matrix B of 3 x 4 then the numberof multiplications required will be___.

a. 15
b. 12
c. 3
6d.
60

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

230. n algorithm is said to be correct if for every _____instance, it halts withthe correct__.

**a. Input, Output page 13**

b. Design, Analysis

c. Value, Key

d. Key, Analysis

231. In chain matrix multiplication, table is filled_____ to find themultiplication of matrix.

a. row wise

b. column wise

c. diagonally

d. bottom-to-up page 86

232. If we have an equation 8n2+7f*n + 5f + 6 then is large,_____term willbe muchxxxxxxxthe n term and will dominate the running time.

a. f g (n)

b. g (n) * 2

c. n * 2 page 23

d. f (n)

233. For quick sort algorithm. Partitioning takes theta_____.

a. (n)

b. log(n)

c. n log (n)

d. n2log (n)

234. In Heap Sort algorithm, the maximum levels an element can move upward is

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

_____

**a. Theta (log n) page 43**

b. Big-ch (log n)

c. Omega (log n)

d. 0 (1) i.e. Constant time

235. _____programming is essentially recursion without repetition.

a. Fast

**b. Dynamic page 75**

c. Array

d. n (log n)

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

236. There are no hard formal rules to the syntax of the_____code.
   a. Basic
   **b.** Programmin
   gc. **Pseudo**
   d. Assembly

237. In Heap Sort algorithm, to remove the maximum element every time.
   a. We call Build-Heap procedure
   b. Heap Sort algorithm terminates without
   resultc. We call heapify procedure
   d. Nothing happens

238. Which process is used for avoiding unnecessary repetitions and lookingthem up again if we need them later.
   a. Greedy Approach
   **b. Memoization page 74**
   c. Divide and conquer
   d. Recursion

239. The worst-case running time of Quick sort is_____in order to sort anarray of n element.
   **a. O(n log n) page 49**
   b. O(n)
   c. $O(n^2)$
   d. O(log n)

240. Boolean operation is a _____operation on an idealized RAM model ofcomputation.
   a. Starting

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

**b. Basic page 10**

c. Advance

d. Normal

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J

VISIT ANY MORE SOLUTIONS

vuanswer.com

241. In chain matrix multiplication, if there are n items, there are____ waysin which outer most pair of parentheses can placed.

a. n^2
b. 2n
c. n+1
**d. n-1 page 85**

242. The number of nodes in a complete binary tree of height h is:a. 2 * (h+1) - 1
**b. 2^(h+1) – 1 page 40**
c. 2 * (h+1)
d. ((h+1)^2) – 1

VU Answer
your right path

SUBSCRIBE OUR CHANNEL

https://www.youtube.com/channel/UCvFS8fAv4bvZsOmWuWMIg3Q

JOIN WHATSAPP GROUP

https://chat.whatsapp.com/CbEPu7qfeNV8v0dZd5yT8J