Visual Programming CS411

Grand Quiz 2020 (COVID-19)

Solved by Sonu Ilyas Mughal

Sonu Mughal

03063548328 For Solving Quiz



quiz.vu.edu.pk/QuizQuestion.aspx?ver=f26104ee-3f2d-4186-ae5d-a0393805e50c

CS411:Midterm Quiz

Question # 1 of 30 (Start time: 04:28:38 PM, 11 July 2020)

In WPF, If we try to add listbox item in listbox object which is already null, it will give us

Select the correct option

- ○ Runtime exception
- ● Compile time error
- ○ Syntax error
- ○ Logical error

03063548328 For Solving Quiz



CS411:Midterm Quiz

Question # 2 of 30 (Start time: 04:29:57 PM, 11 July 2020)

XML is a stricter version of _____.

Select the correct option

- ○ Java
- ○ CSS
- ● HTML
- ○ C#

03063548328 For Solving Quiz



Question # 3 of 30 (Start time: 04:30:26 PM, 11 July 2020)

Which of these methods used to read strings from the console?

Select the correct option

- Get()
- Getline()
- Read()
- ReadLine()

03063548328 For Solving Quiz



CS411:Midterm Quiz

Question # 4 of 30 (Start time: 04:31:22 PM, 11 July 2020)

Which of the following statement is correct about WPF?

Select the correct option

- ○ WPF can use Python language for designing
- ○ WFP can developed mobile apps
- ● WPF is resolution independence
- ○ WPF not support declarative programming

03063548328 For Solving Quiz



Question # 5 of 30 (Start time: 04:31:47 PM, 11 July 2020)

The code given below is equivalent to _____ .
<SolidColorBrush>White</SolidColorBrush>

Select the correct option

- <WhiteBrush >MyWhiteBrush </ WhiteBrush>
- None of the given options
- <SolidColorBrush Color="White"/>
- <Brush Style= “SolidWhite” >

Mughal

03063548328 For Solving Quiz



Question # 6 of 30 (Start time: 04:32:13 PM, 11 July 2020)

WPF4 was released in _____.

Select the correct option

- 2012
- 2010
- 2005
- 2003

ughal

03063548328 For Solving Quiz

Question # 7 of 30 (Start time: 04:32:45 PM, 11 July 2020)

Which of the following events may or may not relate to an actual occurrence?

Select the correct option

- Probabilistic Events
- Actual Events
- Real Events
- Expected Events

03063548328 For Solving Quiz



Question # 8 of 30 (Start time: 04:33:30 PM, 11 July 2020)

All elements of WPF have following property/properties.

Select the correct option

- ○ Width
- ○ None of given options
- ● Height and Width
- ○ Height

03063548328 For Solving Quiz



Question # 9 of 30 (Start time: 04:34:13 PM, 11 July 2020)

_____ is used to declare a class into multiple files and all these files are combined into a single class file when the application is compiled.

Select the correct option

- (●) Inheritance
- ( ) Partial Class
- ( ) Abstract Class
- ( ) Property Element

03063548328 For Solving Quiz



Question # 10 of 30 (Start time: 04:35:18 PM, 11 July 2020)

Which of the following is an example of tunnel key event?

Select the correct option

- Key up
- Preview key entered
- Preview key down
- Key down

03063548328 For Solving Quiz



Question # 11 of 30 (Start time: 04:35:54 PM, 11 July 2020)

IsSharedSizeScope shares size information in _____ grid(s).

Select the correct option

- (●) Multiple
- ( ) Single
- ( ) Both 1 & 2
- ( ) Double

03063548328 For Solving Quiz



MC180400061: SIDRA FATIMA

CS411:Midterm Quiz

Question # 12 of 30 (Start time: 04:37:24 PM, 11 July 2020)

Wait for a single event is _____ operation.

Select the correct option

- Waiting
- Waste
- Idle
- Blocking

03063548328 For Solving Quiz

Question # 13 of 30 (Start time: 04:37:58 PM, 11 July 2020)

Which of the following components generates an input Event?

Select the correct option

- ○ Printer
- ● Multi Touch
- ○ Plotter
- ○ Speaker

03063548328 For Solving Quiz



CS411:Midterm Quiz

Question # 14 of 30 (Start time: 04:38:52 PM, 11 July 2020)

Arrays in C# are _____ objects.

Select the correct option

- Logical.
- Arithmetic.
- Reference.
- Value.

03063548328 For Solving Quiz



A language supported by MS.Net platform.

Select the correct option

- C
- C++
- Java
- C#

03063548328 For Solving Quiz



Question # 16 of 30 (Start time: 04:40:46 PM, 11 July 2020)

Extra space inside the element in WPF is known as _____

Select the correct option

- Margin
- Style
- Padding
- Tunneling

03063548328 For Solving Quiz



Question # 17 of 30 (Start time: 04:41:16 PM, 11 July 2020)

Which of the following statements is TRUE about raw event?

Select the correct option

- (●) It is introduced into an event processing system by an event producer.
- ( ) It is generated as a result of event processing.
- ( ) It is introduced into an event processing system by an event consumer.
- ( ) It is a subscription mechanism for events.

03063548328 For Solving Quiz



Question # 18 of 30 (Start time: 04:42:10 PM, 11 July 2020)

DependencyObject.ClearValue method clears the _____ value in a dependency property.

Select the correct option

- Default
- Local
- Setter
- Getter

03063548328 For Solving Quiz



Question # 19 of 30 (Start time: 04:43:23 PM, 11 July 2020)

All the members of interfaces are implicitly _____.

Select the correct option

- Private
- Static
- Public
- Abstract

03063548328 For Solving Quiz



Question # 20 of 30 (Start time: 04:44:05 PM, 11 July 2020)

Dock panel is used in _____ interface.

Select the correct option

- (●) Top level
- ( ) Bottom level
- ( ) Left level
- ( ) Right level

The data members of a class by default are?

03063548328 For Solving Quiz



Question # 21 of 30 (Start time: 04:45:23 PM, 11 July 2020)

The data members of a class by default are?

Select the correct option

- Protected, Public
- Private, Public
- Public
- Private

03063548328 For Solving Quiz



Question # 22 of 30 (Start time: 04:46:28 PM, 11 July 2020)

The Main method returns zero value which indicates the_____.

Select the correct option

- Source of Program
- Successful execution of Program
- Termination of Program
- Exception in Program

03063548328 For Solving Quiz



Question # 23 of 30 (Start time: 04:47:38 PM, 11 July 2020)

The _____, _____ and _____of applications that use events, either directly or indirectly is called event-based programming.

Select the correct option

- Model, Code, Operation
- Analyze, Design, Operation
- Code, Oeration, Maintain
- Design, Coding , Operation

03063548328 For Solving Quiz



Question # 24 of 30 (Start time: 04:48:18 PM, 11 July 2020)

Silverlight is the subset of _____

Select the correct option

- (●) .NET
- ( ) Python
- ( ) Window Forms
- ( ) C++

ughal

03063548328 For Solving Quiz



Question # 25 of 30 (Start time: 04:49:16 PM, 11 July 2020)

If we insert some objects in a single cell in Grid panel, then these objects are placed on _____ .

Select the correct option

- (●) One on Top of the other
- ( ) One after the other
- ( ) One on Bottom of the other
- ( ) One on Side of the other

03063548328 For Solving Quiz

CS411:Midterm Quiz

Question # 26 of 30 (Start time: 04:50:17 PM, 11 July 2020)

A class can inherit from _____class/classes.

Select the correct option

- ○ Two
- ● Single
- ○ Three
- ○ Multiple

ughal

03063548328 For Solving Quiz



Question # 27 of 30 (Start time: 04:50:59 PM, 11 July 2020)

If we exclude the mechanism of calling the objects through name then:

Select the correct option

- Code will not compile
- Code will be difficult to debug
- Code will have errors
- Code will become design dependent

03063548328 For Solving Quiz



Margin defines an extra space_____ while considering edges of the element

Select the correct option

- Between
- Inside
- Outside
- Anywhere

03063548328 For Solving Quiz

Question # 29 of 30 (Start time: 04:52:33 PM, 11 July 2020)

Suppose we want to restrict the user to don't decrease the height of a WPF element from a specific amount then which property will be used?

Select the correct option

- (●) MinHeight
- ( ) None of given
- ( ) HeightMinimum
- ( ) MinimumHeight

03063548328 For Solving Quiz



Attribute parameters can be either positional parameters or _____ parameters.

Select the correct option

- (●) Named
- ( ) Static
- ( ) Global
- ( ) None of the given options

03063548328 For Solving Quiz

Question # 1 of 30 (Start time: 04:56:51 PM, 11 July 2020)

Suppose we have two elements in grid one is button and other is rectangle,which property will be helpful to set position of button on top of the rectangle?

Select the correct option

- ○ Z index
- ● Sizing
- ○ Transform
- ○ Stack Panel

03063548328 For Solving Quiz



Question # 2 of 30 (Start time: 04:58:03 PM, 11 July 2020)

_____ graphics work with shapes.

Select the correct option

- Scalar
- Vector
- Both 1 & 2
- None of the above

03063548328 For Solving Quiz



CS411:Midterm Quiz

Question # 3 of 30 (Start time: 04:59:20 PM, 11 July 2020)

UI element focusable value is _____ by default.

Select the correct option

- True
- False
- Nil
- Zero

03063548328 For Solving Quiz



Question # 4 of 30 (Start time: 05:00:23 PM, 11 July 2020)

Tag of namespace in XML is just a_____

Select the correct option

- String
- Integer
- Float
- Property

03063548328 For Solving Quiz



Question # 3 of 30 (Start time: 05:01:44 PM, 11 July 2020)

In which type does the enumerators are stored by the compiler?

Select the correct option

- string
- integer
- float
- none of these

03063548328 For Solving Quiz

Question # 6 of 30 (Start time: 05:03:00 PM, 11 July 2020) **Total Marks**

Visual Studio has a snippet called _____ that automatically expands into a definition of a dependency property, which makes defining one much faster than doing all the typing yourself!

Select the correct option

- (●) Propdp
- ( ) Property extension
- ( ) Dpprop
- ( ) Dependency property

Saving

03063548328 For Solving Quiz



Question # 7 of 30 (Start time: 05:03:30 PM, 11 July 2020)

Suppose we want to restrict the user to don't increase the height of a WPF element from a specific amount then which property will be used?

Select the correct option

- MaximumHeight
- MaxHeight
- None of given
- HeightMaximum

03063548328 For Solving Quiz



Which of the following events may or may not relate to an actual occurrence?

Select the correct option

- (●) Probabilistic Events
- ( ) Actual Events
- ( ) Real Events
- ( ) Expected Events

03063548328 For Solving Quiz

Question # 9 of 30 (Start time: 05:05:18 PM, 11 July 2020)

Attribute parameters can be either positional parameters or _____ parameters.

Select the correct option

- (●) Named
- ( ) Static
- ( ) Global
- ( ) None of the given options

03063548328 For Solving Quiz



Question # 10 of 30 (Start time: 05:06:01 PM, 11 July 2020)

Which of the following keyword is used to monitor exceptions?

Select the correct option

- finally
- try
- throw
- catch

03063548328 For Solving Quiz



Question # 11 of 30 (Start time: 05:07:04 PM, 11 July 2020)

Which keyword is used to declare the indexers?

Select the correct option

- base
- this
- extract
- super

03063548328 For Solving Quiz



We want the width of button should cover the whole width of StackPanel in WPF then what should be value of HorizontalAlignment property of button?

Select the correct option

- Parent
- Whole
- Fill
- Stretch

03063548328 For Solving Quiz



Question # 13 of 30 (Start time: 05:09:15 PM, 11 July 2020)

Which of these methods used to read strings from the console?

Select the correct option

- Get()
- Getline()
- Read()
- ReadLine()

03063548328 For Solving Quiz



Question # 14 of 30 (Start time: 05:09:38 PM, 11 July 2020)

Which symbol is used to declare the preprocessor directives?

Select the correct option

- $
- *
- #
- ^

03063548328 For Solving Quiz

Question # 15 of 30 (Start time: 05:10:16 PM, 11 July 2020)

Which method is used to write single byte to the file?

Select the correct option

- Write( )
- WriteLine( )
- WriteByte ( )
- WriteKey( )

03063548328 For Solving Quiz



Question # 10 of 50 (Start time: 08:11:44 PM, 11 July 2020)

Graphical user interfaces and the event-driven model is not applied on which of the following?

Select the correct option

- Web Applications
- Console Applications
- Mobile applications
- Desktop Applications

03063548328 For Solving Quiz



Question # 18 of 30 (Start time: 05:13:37 PM, 11 July 2020)

_____ Function will register a dependency property in WPF.

Select the correct option

- DependencyProperty.Reg()
- DependencyProperty.Registeration()
- DependencyProperty.Registered()
- DependencyProperty.Register()

03063548328 For Solving Quiz



Question # 19 of 30 (Start time: 05:14:43 PM, 11 July 2020)

Derived Event is:

Select the correct option

○	Introduced into an event processing system by an event consumer.
●	Generated as a result of event that takes place inside an event processing system.
○	Introduced into an event processing system by an event producer.
○	A set of associated events.

03063548328 For Solving Quiz



_____ key can be represented as _text in XAML.

Select the correct option

○	Protected
●	Focus
○	Public
○	None of the above

Solved

03063548328 For Solving Quiz



Question # 20 of 30 (Start time: 05:15:09 PM, 11 July 2020)

_____ key can be represented as _text in XAML.

Select the correct option

- Protected
- Focus
- Public
- None of the above

03063548328 For Solving Quiz



Question # 21 of 50 (Start time: 08:10:07 PM, 11 July 2020)

Silverlight is the subset of _____

Select the correct option

- (●) .NET
- ( ) Python
- ( ) Window Forms
- ( ) C++

03063548328 For Solving Quiz



Question # 22 of 30 (Start time: 05:17:31 PM, 11 July 2020)

Which type of sizing is used in Wpf?

Select the correct option

- Line
- Percentage
- Proportional
- Element

03063548328 For Solving Quiz



Question # 23 of 30 (Start time: 05:18:34 PM, 11 July 2020)

By convention _____ event names are prefixed with Preview.

Select the correct option

- (●) Tunneling
- ( ) Bubbling
- ( ) Direct
- ( ) None of the given

03063548328 For Solving Quiz



Question # 24 of 30 (Start time: 05:19:31 PM, 11 July 2020)

We use "UIElement" property ClipToBounds= “false” when _____.

Select the correct option

- We want area child element don’t cross the boundary of parent
- None of given
- We want area of child element is allowed to cross the boundary of parent
- Parent area also increases on increasing of area of child element

03063548328 For Solving Quiz

Question # 25 of 30 (Start time: 05:20:44 PM, 11 July 2020)

The _____ in the namespace indicate a hierarchy of nested namespaces.

Select the correct option

- Arrows
- Dots
- Semicolon
- Brackets

03063548328 For Solving Quiz



Question # 26 of 30 (Start time: 05:21:39 PM, 11 July 2020)

If we want to place a component at top in "dockpanel" then which one is correct syntax?

Select the correct option

○	PanelDock="Top"
○	Dock="Top"
●	DockPanel.Dock="Top"
○	DockPanel="Top"

03063548328 For Solving Quiz



Question # 27 of 30 (Start time: 05:22:45 PM, 11 July 2020)

If we insert some objects in a single cell in Grid panel, then these objects are placed on _____ .

Select the correct option

- (●) One on Top of the other
- ( ) One after the other
- ( ) One on Bottom of the other
- ( ) One on Side of the other

03063548328 For Solving Quiz



Question # 28 of 30 (Start time: 05:23:51 PM, 11 July 2020)

Which of the following is the object-oriented way to handle run time errors?

Select the correct option

- OnError
- Error codes
- Interface
- Exceptions

03063548328 For Solving Quiz



Question # 29 of 30 (Start time: 05:24:54 PM, 11 July 2020)

The code given below is equivalent to _____ .
<SolidColorBrush>White</SolidColorBrush>

Select the correct option

- <WhiteBrush >MyWhiteBrush </ WhiteBrush>
- None of the given options
- <SolidColorBrush Color="White"/>
- <Brush Style= “SolidWhite” >

03063548328 For Solving Quiz

_____ is an entity that receives events from the system.

Select the correct option

- ○ Event Producer
- ● Event Consumer
- ○ Event Channel
- ○ Event Generator

03063548328 For Solving Quiz



Question # 1 of 30 (Start time: 05:33:42 PM, 11 July 2020)

Wait for a single event is _____ operation.

Select the correct option

- Waiting
- Waste
- Idle
- Blocking

03063548328 For Solving Quiz



Question # 2 of 50 (Start time: 08:04:07 PM, 11 July 2020)

_____ is used to declare a class into multiple files and all these files are combined into a single class file when the application is compiled.

Select the correct option

- Inheritance
- Partial Class
- Abstract Class
- Property Element

03063548328 For Solving Quiz



Question # 3 of 30 (Start time: 05:35:05 PM, 11 July 2020)

<Button.Content> tag in XAML is the syntax for _____

Select the correct option

- Namespace
- Property Element
- Class
- Form

Waiting for quiz.vu.edu.pk...

03063548328 For Solving Quiz



Question # 4 of 30 (Start time: 05:36:21 PM, 11 July 2020)

COOL stands for _____.

Select the correct option

- Class Oriented Object Language
- Consumer Oriented Object Language
- C-like Object Oriented Language
- C++-like Object Oriented Language

03063548328 For Solving Quiz



Against _____ keyword a partial class is generated which we write in C# code.

Select the correct option

- (●) X:class
- ( ) Xmlns
- ( ) <button>
- ( ) X:Element

03063548328 For Solving Quiz



Question # 8 of 30 (Start time: 05:39:08 PM, 11 July 2020)

Suppose we have declared a button in XAML as shown in given code.Choose the correct C# code which get this button in C#.
<Button x:Name="okbutton">OK</Button>

Select the correct option

○	Button okbutton=(Button)window.("okbutton");
○	Button okbutton=(Button)window.searchname("okbutton");
○	Button okbutton=(Button)window.getbutton("okbutton");
●	Button okbutton=(Button)window.findname("okbutton");

03063548328 For Solving Quiz

Question # 9 of 50 (Start time: 08:40:10 PM, 11 July 2020)

Additional XML namespaces (on the root or on children) must be _____ to be used on any identifiers from that namespace.

Select the correct option

- Given a common prefix
- Qualified with “Pre” keyword
- Given a distinct prefix
- Qualified with “Ext” keyword

03063548328 For Solving Quiz



Question # 10 of 30 (Start time: 05:41:23 PM, 11 July 2020)

Arrays in C# are _____ objects.

Select the correct option

- Logical.
- Arithmetic.
- Reference.
- Value.

03063548328 For Solving Quiz



Question # 11 of 30 (Start time: 05:41:51 PM, 11 July 2020)

When your C# program is compiled, it creates a file called _____

Select the correct option

- (●) Assembly
- ( ) Exe
- ( ) Object
- ( ) Class

03063548328 For Solving Quiz



Question # 12 of 30 (Start time: 05:42:50 PM, 11 July 2020)

_____ property value is used to set width and height of element in WPF according to its content.

Select the correct option

- Name
- X:class
- Nan
- Tree

03063548328 For Solving Quiz



Question # 13 of 30 (Start time: 05:43:34 PM, 11 July 2020)

What is the return type of destructors?

Select the correct option

- int
- float
- void
- no return types

03063548328 For Solving Quiz



Question # 14 of 30 (Start time: 05:44:34 PM, 11 July 2020)

In context of XAML child element rules, if the parent supports a content property and the type of the child is compatible with that property, treat the child as its _____

Select the correct option

- ○ Super class
- ○ Sub class
- ● Value
- ○ Interface

03063548328 For Solving Quiz



Question # 20 of 30 (Start time: 05:49:44 PM, 11 July 2020)

Event-based programming is also known as:

Select the correct option

- Service-oriented architecture (SOA)
- Event-driven Architecture (EDA)
- Service-driven Architecture (SDA)
- Event-based Architecture (EBA)

“FrameworkElement” is the base class that adds support for _

03063548328 For Solving Quiz




CS411:Midterm Quiz

Question # 21 of 30 (Start time: 05:51:13 PM, 11 July 2020)

When a user select element from listbox, after selecting compiler marked the selected element as____

Select the correct option

- Fix
- Selected
- Handled
- Bubble



03063548328 For Solving Quiz



Design of Silverlight mostly follow the design of _____

Select the correct option

- C++
- WPF
- Console
- C#

03063548328 For Solving Quiz



Question # 23 of 30 (Start time: 05:54:00 PM, 11 July 2020)

Which of the following is/are not derived from “Control” class?

Select the correct option

- ListBox
- StatusBar
- None of the given
- Button

03063548328 For Solving Quiz



Question # 24 of 30 (Start time: 05:55:08 PM, 11 July 2020)

To design a complex Interface, which of the following technique is best to achieve the required results?

Select the correct option

- Panels composed in three panels
- Panels composed within panels
- Panels composed in two panels
- Panels composed in single panel

03063548328 For Solving Quiz



Question # 25 of 30 (Start time: 05:56:09 PM, 11 July 2020)

In tunneling, event move from _____.

Select the correct option

- Left to Right
- Right to Left
- Top to Down
- Diagonally

03063548328 For Solving Quiz



Question # 26 of 30 (Start time: 05:57:17 PM, 11 July 2020)

Attributes of a program can be retrieved from its assembly metadata through _____.

Select the correct option

- Static member
- Reflection
- Garbage collector
- Constructor

03063548328 For Solving Quiz



Question # 27 of 30 (Start time: 05:58:20 PM, 11 July 2020)

Clean room design is also called _____.

Select the correct option

- Clear Room Design
- Wall Technique Design
- Chinese Wall Technique
- French Wall Technique

Sohail Mughal

03063548328 For Solving Quiz



Question # 28 of 30 (Start time: 05:58:46 PM, 11 July 2020)

The code given below is equivalent to _____ .
<SolidColorBrush>White</SolidColorBrush>

Select the correct option

- <WhiteBrush >MyWhiteBrush </ WhiteBrush>
- None of the given options
- <SolidColorBrush Color="White"/>
- <Brush Style= “SolidWhite” >

03063548328 For Solving Quiz



CS411:Midterm Quiz

Question # 29 of 30 (Start time: 05:59:27 PM, 11 July 2020)

If we want to scale an object in the 2-D x-y coordinate system then which transform class will be used?

Select the correct option

- ○ Rotate Transform
- ○ Matrix Transform
- ● Translate Transform
- ○ Skew Transform

03063548328 For Solving Quiz



Question # 30 of 30 (Start time: 06:00:43 PM, 11 July 2020)

Clean room design is useful as a defense against _____.

Select the correct option

○	Copyright
○	Trade secret infringement
●	Copyright and trade secret infringement
○	None of the given options

03063548328 For Solving Quiz



Question # 1 of 30 (Start time: 06:44:55 PM, 11 July 2020)

_____ Function will register a dependency property in WPF.

Select the correct option

- DependencyProperty.Reg()
- DependencyProperty.Registeration()
- DependencyProperty.Registered()
- DependencyProperty.Register()

03063548328 For Solving Quiz



Question # 1 of 30 (Start time: 06:44:55 PM, 11 July 2020)

_____ Function will register a dependency property in WPF.

Select the correct option

- DependencyProperty.Reg()
- DependencyProperty.Registeration()
- DependencyProperty.Registered()
- DependencyProperty.Register()

03063548328 For Solving Quiz



Question # 2 of 30 (Start time: 06:46:10 PM, 11 July 2020)

The root object element in XAML must specify at least _____ XML namespace(s) that is/are used to qualify itself and any child elements.

Select the correct option

- Two
- None of the given options
- Four
- One

03063548328 For Solving Quiz



CS411:Midterm Quiz

Question # 3 of 30 (Start time: 06:47:19 PM, 11 July 2020)

Anonymous methods _____ the code size.

Select the correct option

- Double
- Expand
- Reduce
- Extend

03063548328 For Solving Quiz



Question # 4 of 30 (Start time: 06:48:15 PM, 11 July 2020)

_____ works with Graphic Cards.

Select the correct option

- OpenGL
- GDI
- DirectX
- XNA

03063548328 For Solving Quiz



Question # 5 of 30 (Start time: 06:49:37 PM, 11 July 2020)

System.Windows.Controls.Button b = new System.Windows.Controls.Button();
b.Content = "OK";

For the above code (written in C#) the corresponding XAML code will be:

Select the correct option

●	<Button xmlns=http://schemas.microsoft.com/winfx/2006/xaml/presentation Content="OK"/>
○	<Button xmlns= “OK” Content="http://schemas.microsoft.com/winfx/2006/xaml/presentation "/>
○	<Button xmlns=http://schemas.microsoft.com/winfx/2006/xaml/presentation Event="OK"/>
○	<Button xmlns="http://schemas.microsoft.com/winfx/2006/xaml/presentation" Call="OK"/>

03063548328 For Solving Quiz



Which of these methods used to read strings from the console?

Select the correct option

- Get()
- Getline()
- Read()
- ReadLine()

Sumaira Mughal

03063548328 For Solving Quiz



Question # 7 of 30 (Start time: 06:50:57 PM, 11 July 2020)

<Button.Content> tag in XAML is the syntax for _____

Select the correct option

- Namespace
- Property Element
- Class
- Form

03063548328 For Solving Quiz



Question # 8 of 30 (Start time: 06:51:50 PM, 11 July 2020)

We use "UIElement" property ClipToBounds= “false” when _____.

Select the correct option

- We want area child element don’t cross the boundary of parent
- None of given
- We want area of child element is allowed to cross the boundary of parent
- Parent area also increases on increasing of area of child element

03063548328 For Solving Quiz



Question # 9 of 30 (Start time: 06:53:14 PM, 11 July 2020)

To check that the user either pressed left Alt key or right Alt key, the _____ is used.

Select the correct option

- IsKeyDown
- IsDown
- keyboardDevice.IsKeyDown
- KeyStates.IsKeyDown

03063548328 For Solving Quiz



CS411:Midterm Quiz

Question # 10 of 30 (Start time: 06:54:02 PM, 11 July 2020)

Wait for a single event is _____ operation.

Select the correct option

- Waiting
- Waste
- Idle
- Blocking

03063548328 For Solving Quiz



UI element focusable value is _____ by default.

Select the correct option

●	True
○	False
○	Nil
	Zero

Sonia Mughal

03063548328 For Solving Quiz



Question # 12 of 30 (Start time: 06:54:59 PM, 11 July 2020)

XAML specification defines rules that map ".NET" namespaces, types, properties, and events into _____.

I) XML namespaces
II) XML elements
III) XML Attributes

Select the correct option

○	(I) Only
○	(II) Only
●	(I), (II) and (III) only
○	(III) Only

03063548328 For Solving Quiz



Question # 13 of 30 (Start time: 06:55:17 PM, 11 July 2020)

Which provider has the highest priority while providing a value to a dependency property?

Select the correct option

- Style Setters
- Default Value
- Local Value
- Theme Style Setters

03063548328 For Solving Quiz



Question # 14 of 30 (Start time: 06:56:53 PM, 11 July 2020)

Which of the following statements is TRUE about raw event?

Select the correct option

- (●) It is introduced into an event processing system by an event producer.
- ( ) It is generated as a result of event processing.
- ( ) It is introduced into an event processing system by an event consumer.
- ( ) It is a subscription mechanism for events.

03063548328 For Solving Quiz



CS411:Midterm Quiz

Question # 15 of 30 (Start time: 06:57:40 PM, 11 July 2020)

WPF Margin is defined by _____ type.

Select the correct option

- Thin
- Thinnest
- Thick
- Thickness

03063548328 For Solving Quiz



Question # 16 of 30 (Start time: 06:59:08 PM, 11 July 2020)

Which property is used to change the Z Order of elements in WPF?

Select the correct option

- Z-Coordinate
- ZPanel
- ZIndex
- ZValue

03063548328 For Solving Quiz



Question # 18 of 30 (Start time: 07:01:45 PM, 11 July 2020)

If we run the program from within Visual Studio, the console window disappears quickly so we can use _____ to keep screen from going away.

Select the correct option

- (●) Console.ReadLine()
- ( ) Console.WriteLine()
- ( ) Console.Title
- ( ) Console.Clear

03063548328 For Solving Quiz



Question # 19 of 30 (Start time: 07:02:41 PM, 11 July 2020)

When parent element space is not enough for the content of child element,this type of situation arises due to _____

Select the correct option

- Short memory
- Content Overflow
- Indexing
- Grid

03063548328 For Solving Quiz



Question # 20 of 30 (Start time: 07:04:06 PM, 11 July 2020)

_____ is a base class similar to UIElement but for document-related pieces of content that don't have rendering behavior on their own.

Select the correct option

- ● ContentElement
- ○ VisualElement
- ○ SystemElement
- ○ XAMLElement

03063548328 For Solving Quiz



Question # 21 of 30 (Start time: 07:04:41 PM, 11 July 2020)

Which of these methods of the class String is used to obtain length of string object?

Select the correct option

- get()
- Sizeof()
- length()
- lengthof()

03063548328 For Solving Quiz



Question # 22 of 30 (Start time: 07:05:37 PM, 11 July 2020)

Overloaded operators must be _____.

Select the correct option

- Referenced
- Static
- Objective
- Delegates

03063548328 For Solving Quiz



Question # 23 of 30 (Start time: 07:06:01 PM, 11 July 2020)

Which symbol is used to declare the preprocessor directives?

Select the correct option

- $
- *
- #
- ^

03063548328 For Solving Quiz



Question # 24 of 30 (Start time: 07:06:39 PM, 11 July 2020)

Suppose we want to restrict the user to don't increase the height of a WPF element from a specific amount then which property will be used?

Select the correct option

- MaximumHeight
- MaxHeight
- None of given
- HeightMaximum

03063548328 For Solving Quiz

Question # 25 of 30 (Start time: 07:07:00 PM, 11 July 2020)

A(n) _____ is a reference to a method.

Select the correct option

- (●) Delegate
- ( ) XAML
- ( ) Function
- ( ) Constructor

ughal
SO

03063548328 For Solving Quiz



CS411:Midterm Quiz

Question # 26 of 30 (Start time: 07:07:47 PM, 11 July 2020)

Default value of Grid.Row is _____

Select the correct option

- (●) 0
- ( ) 1
- ( ) 2
- ( ) 3

Vughal

03063548328 For Solving Quiz



Question # 28 of 30 (Start time: 07:09:53 PM, 11 July 2020)

In XAML 2006, x:AsyncRecords works on _____ thread(s).

Select the correct option

- Single
- Multiple
- Both 1 & 2
- None of the given

03063548328 For Solving Quiz



Question # 29 of 30 (Start time: 07:10:51 PM, 11 July 2020)

How can you specify null property in markup extension?

Select the correct option

- (null)
- :null:
- {x:null}
- [x:null]

03063548328 For Solving Quiz



Question # 30 of 30 (Start time: 07:11:25 PM, 11 July 2020)

DependencyObject.ClearValue method clears the _____ value in a dependency property.

Select the correct option

- Default
- Local
- Setter
- Getter

03063548328 For Solving Quiz

