Virtual University	CS202- Fundamentals of Front-End Development (SOLVED MCQs) FROM MIDTERM PAPERS LECTURE (1-22)	Al Junaid Tech®
ajtechinstitute24@gmail.com	For More Visit: vujunaid.com	JUNAID MALIK (0304-1659294)



ÂL-JÛÑÂÎD TÊCH

JOIN OUR GROUP FOR MORE UPDATE

Click Button

CS619 & CS519 | ÂL-JÛÑÂÎD TÊCH

1. What does HTML stand for?
   - Hyper Text Markup Language
   - Hyperlinks and Text Markup Language
   - Home Tool Markup Language
2. Who is making the Web standards?
   - Microsoft
   - The World Wide Web Consortium
   - Google
   - Mozilla
3. Choose the correct HTML element for the largest heading:
   - <h1>
   - <h6>
   - <head>
   - <heading>
4. What is the correct HTML element for inserting a line break?
   - <lb>
   -
   - <break>
5. What is the correct HTML for adding a background color?
   - <background>yellow</background>
   - <body style="background-color:yellow;">
   - <body bg="yellow">
6. Choose the correct HTML element to define important text
   -
   - <important>
   - <b>
   - <i>
7. Choose the correct HTML element to define emphasized text
   - <i>
   -
   - <italic>
8. What is the correct HTML for creating a hyperlink?
   - JUNAUD MAK=LIK
   - <a>ajtechinstitute24@gmail.com
   - JUNAID MALIK

ÂL-JÛÑÂÎD TÊCH

- <a href="ajtechinstitute24@gmail.com">JUNAID MALIK>

9. Which character is used to indicate an end tag?
   - ^
   - /
   - <
   - *

10. How can you open a link in a new tab/browser window?
    - <a href="url" target="new">
    - <a href="url" new>
    - <a href="url" target="_blank">

11. Which of these elements are all <table> elements?
    - <table><tr><tt>
    - <thead><body><tr>
    - <table><tr><td>
    - <table><head><tfoot>

12. How can you make a numbered list?
    - <list>
    - <dl>
    -
    -

13. How can you make a bulleted list?
    -
    - <dl>
    -
    - <list>

14. What is the correct HTML for making a checkbox?
    - <input type="checkbox">
    - <check>
    - <input type="check">
    - <checkbox>

15. What is the correct HTML for making a text input field?
    - <textfield>
    - <input type="textfield">
    - <input type="text">
    - <textinput type="text">

16. What is the correct HTML for making a drop-down list?
    - <input type="list">
    - <list>
    - <select>

ÂL-JÛÑÂÎD TÊCH

- <input type="dropdown">

17. What is the correct HTML for making a text area?
    - <input type="textarea">
    - <textarea>
    - <input type="textbox">
18. What is the correct HTML for inserting an image?
    - <img src="image.gif" alt="MyImage">
    - <image src="image.gif" alt="MyImage">
    - <img alt="MyImage">image.gif</img>
    - <img href="image.gif" alt="MyImage">
19. What is the correct HTML for inserting a background image?
    - <body style="background-image:url(background.gif)">
    - <body bg="background.gif">
    - <background img="background.gif">
20. Which HTML element defines the title of a document?
    - <head>
    - <title>
    - <meta>
21. Which HTML attribute specifies an alternate text for an image, if the image cannot be displayed?
    - longdesc
    - title
    - src
    - alt
22. Which doctype is correct for HTML5?
    - <!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 5.0//EN" "http://www.w3.org/TR/html5/strict.dtd">
    - <!DOCTYPE html>
    - <!DOCTYPE HTML5>
23. Which HTML element is used to specify a footer for a document or section?
    - <section>
    - <bottom>
    - <footer>
24. What is the correct HTML element for playing video files?
    - <movie>
    - <media>
    - <video>
25. What is the correct HTML element for playing audio files?
    - <audio>

ÂL-JÛÑÂÎD TÊCH

- <sound>
- <mp3>

26. The HTML global attribute, "contenteditable" is used to:
    - Specify whether the content of an element should be editable or not
    - Return the position of the first found occurrence of content inside a string
    - Specifies a context menu for an element. The menu appears when a user right-clicks on the element
    - Update content from the server

27. In HTML, onblur and onfocus are:

    - Event attributes
    - HTML elements
    - Style attributes

26. ~ requests data from a specified resource, has limited length and can be cached by client.
    - REQUEST
    - POST
    - SERVER
    - GET

27. Which one of the following is not a positioning method?
    - Relative
    - Static
    - SERVER
    - Fixed

28. ee property is used to set the border spacing for an HTML table.
    - border-spacing
    - spacing
    - borderspace
    - spacing-border

29. Which of the following function is used to remove the last element of the array?
    - Delete ()
    - Push ()

ÂL-JÛÑÂÎD TÊCH

- Pop ()
- Shift ()

30. eee are defined within the <style> element, inside the head section of an HTML page.

- External styles
- Internal styles
- Inline styles
- None of the given options

31. What value will be returned by the following JavaScript function? Math.ceil(7.4);

- 8
- 74
- 7.4
- 7

32. What value will be returned by the following JavaScript function? Math.round(8.4);

- 8
- 9
- 8.4

33. Which of the following tags is used to define image in HTML?

- <img>
- <im>
- <>
- <image>

34. The id selector uses the id attribute of the HTML element, and is defined with a

- #
- .
- &
- id

35. Which of the following statement(s) is true about Block Elements?

- All of the given options.

ÂL-JÛÑÂÎD TÊCH

- Block Element has a line break before element.
- Block Element has line break after element.
- Block Element takes full width available.

36. What will be the value in variable x after executing the following JavaScript code statement? var x = 5/0;
    - ~Infinity
    - Infinity
    - id
    - students
37. Which of the following tags is used to define HTML paragraph?
    - <paragraph>
    - <pr>
    - <para>
    - <p>
38. CSS stands for
    - Cascading Style Sheets
    - Common Style Sheets
    - Control Style Sheets
    - Central Style Sheets
39. Which of the following CSS3 property can be used to add transparency in image?
    - opacity
    - filter
    - image-sprites
    - hover
40. What value will be returned by the following JavaScript function? parseint("students id 231');
    - id
    - 231
    - students

ÂL-JÛÑÂÎD TÊCH

- NaN

41. What value will be returned by the following JavaScript function?
Math.max(5.2, -5.2, 6.2, - 6.2);

- -6.2
- 5.2
- -5.2
- 6.2

42. All major browsers by default display HTML table headings as

- Bold and left aligned
- None of the given options
- Bold and centered aligned
- Bold and right aligned

43. Which of the following list-style-type is supported by <ul> in HTML?

- upper-alpha
- disc
- lower-alpha
- upper-roman

44. What will be the value of variable sin after execution of the following JavaScript code segment? var txt = "Virtual University"; var sin = txt.length;

- oO!
- 19
- 7

45. An element with a ____position is positioned relative to the browser window, and it will not move even if the window is scrolled.

- Fixed
- Relative
- Static

46. An element with a __position is positioned relative to the browser window, and it will not move even if the window is scrolled.

ÂL-JÛÑÂÎD TÊCH

- Absolute
- Fixed
- Static

47. For a web page, if you write 10 spaces in your text, the browser will remove ____of them.
    - Nine
    - None
    - One
    - All
48. Full form of URL is.
    - Unlimited Resource Locator
    - Uniform Resource Location
    - Uninformed Resource Locator
    - Uniform Resource Locator
49. HTTP stands for.
    - Hypertext Transfer Protocol
    - Hypertext Transfer Path
    - Hypertext Transmission Path
    - Hypertext Transform Protocol
50. Which of the following is a block element?
    - <img>
    - <p>
    -
51. The following code represents which of the following?
    -
    - <x = x + 7;>
    - <p>
    - <h1>
52. Which CSS property specifies the stack order of the overlapping

ÂL-JÛÑÂÎD TÊCH

elements that determine which element will be placed in front of, or behind, the others?

- Visibility
- z-index
- Display
- Float

53. _____is very similar to italic, but less supported.

- Italics
- Curve
- Oblique
- Tilt

54. Which of the following is/are example(s) of HTML block elements?

- <p>
- <h1>
- All of the given options

55. Which of the following symbol is not used by a dynamic URL?

- ?
- &
- %
- ~

56. An HTML document must start with declaration. Select the correct option.

- Variable
- File Path
- Header File
- Type

57. This property is used to set the border spacing for an HTML table.

- border-spacing
- spacing
- spacing-border

ÂL-JÛÑÂÎD TÊCH

58. Which of the following list-style-type is supported by <ol> in HTML?
    - upper-roman
    - disc
    - circle
    - square

59. What is the correct HTML syntax for making a hyperlink?
    - <http://google.com
    - url="http://google.com">search engine Quiz
    - search engine
    - search engine

60. Which of the following list-style-type is supported by <ul> in HTML?
    - lower-alpha
    - upper-alpha
    - upper-roman
    - disc

61. HTTP stands for
    - Hypertext Transmission Path
    - Hypertext Transform Protocol
    - Hypertext Transfer Path
    - Hypertext Transfer Protocol

62. _ tag is used for the address information of the writer of any document.
    - <add>
    - <contact>
    - <writer>
    - <address>

63. Choose the false option.
    - The z-index property specifies the stack order of an element.
    - An element can have a positive or negative stack order.

ÂL-JÛÑÂÎD TÊCH

- None of the given options
- An element with lower stack order is always in front of an element with a greater stack order.

64. Which of the following value cannot return by Math.random() function?

- 0.9
- 0.8
- 1.7
- 0.7

65. An HTML document must start with

- Variable
- Header File
- File Bath
- Header File

66. JavaScript variable names can contain.

- O
- Underscores
- All of the given options
- Digits

67. Which of the following CSS code can be used to remove bullets from an unordered list?

- 0 ulli { style-type-list: hide; }
- ul { list-style-type: none; }
- li { list-type: remove; }
- li { type: none; }

68. The default color for a page is defined in the selector.

- Heading Tag
- Container Tag
- HTML Tag
- Body Tag

ÂL-JÛÑÂÎD TÊCH

ÂL-JÛÑÂÎD TÊCH

69. Choose the correct syntax to create an array students in JavaScript?

- var students[] = {"Ali', "Ahmed", "Noor'};
- var students = ["Ali", "Ahmed", "Noor'];
- var students ["Ali", "Ahmed", "Noor'];
- var students = ["Ali", "Ahmed", "Noor"];

70. eee property is used to set the border spacing for an HTML table.

- borderspace
- spacing-border
- spacing
- border-spacing

71. Which of the following list-style-type is supported by <ul> in HTML?

- lower-alpha
- circle
- upper-alpha

72. What will be the sequence of elements in the array colour' after using sort function on it?
var colour
= ["Blue', "Pink", 'Purple', Black'); colour.sort();

- ["Black", "Blue", "Pink", "Purple"]
- ["Black', "Purple ', Pink ", "Blue "]
- ["Black', "Blue *, "Pink ", "Purple ")
- [Blue', Pink', "Purple", "Black'];

73. In JavaScript, = sign is used to____.

- Assign values to variables
- Decrement values of variables
- Compare numbers
- Increment values of variables

74. What value will be returned by the following JavaScript expression? isNaN(°CS202');

- False
- Infinity

ÂL-JÛÑÂÎD TÊCH

75. In HTML tables, rowspan attribute is used:

- To make a cell span more than one column.
- To make a cell span more than one row.
- To make a column span more than one row.
- To make a row span more than one cell.

76. Which of the following is not a valid JavaScript variable?

- mynumber2
- None of the given options
- 2number

77. Which of the following tag is used to make a bulleted list?

- <ub>
-
-

78. Which of the following is correct property to define the font for an HTML element using style attribute?

- font-style
- font-family
- define-font

79. are defined within the <style> element, inside the head section of an HTML page.

- None of the given options
- Internal styles
- Inline styles
- External styles

80. In HTML, headings are defined with:

- <h1> to <h6>
- <ha>
- <heading>

81. Which of the following function is used to define an alternative sort order?

ÂL-JÛÑÂÎD TÊCH

- Comparison function.
- Alternative function.
- None of the above.
- Compare function.

82. In HTML, URL is also known as:

- Web Browser
- UR identifier
- Home Address
- Web Address

83. Which of the following is/are example(s) of HTML block elements?

- All of the given options
-
- <p>

84. Which of the following statement(s) is true about Block Elements?

- Block Element has a line break before element.
- All of the given options.
- Block Element takes full width available.
- Block Element has line break after element.

85. Which of the option(s) given below is correct if we apply CSS property "visibility: hidden;" to an element?

- It shows an element and it will not be taking the same space as before on the web page.
- It hides an element and it will be taking the same space as before on the web page.
- It shows an element and it will be taking the same space as before on the web page.
- It hides an element and it will not be taking the same space as before on the web page.

86. Which of the following is not a valid JavaScript variable?

- number
- None of the given options

ÂL-JÛÑÂÎD TÊCH

- mynumber2

87. HTTP HTPP URI Web Services can communicate world-wide using ____

- HTTP
- HTPP
- URI

88. Which of the following is not a valid JavaScript variable?

- 2number
- number
- None of the given options
- mynumber2

89. Table borders can be collapsed into one border using CSS _____property.

- single-border
- border-single
- border-collapse
- collapse-border

90. In HTML tables, rowspan attribute is used

- To make a row span more than one cell.
- To make a cell span more than one column.
- To make a cell span more than one row.
- To make a column span more than one row.

91. An element with a __position is positioned relative to the browser window, and it will not move even if the window is scrolled.

- Absolute
- Static
- Fixed

92. Which of the following tags is used to define HTML paragraph?

- <paragraph>
- <pr>
- <p>

ÂL-JÛÑÂÎD TÊCH

93. In HTML table headings are defined with _____

- <heading>
- <theading>
- <h>

94. Correct syntax to add comment in HTML is

- /* comment here*/
- #comment here
- <! -- comments here -->
- // comments here

95. Which of the following is/are example(s) of HTML block elements?

- <p>
-
- <h1>
- All of the given options

ÂL-JÛÑÂÎD TÊCH