Assessment Quiz

Pre-Assessment

Question # 2 of 2

In memory architecture (SGA), _____ used for Recovery.

Select the correct option

- ○ PMON
- ○ SOMN
- ◉ SMON
- ○ SMN

Post-Assessment

Question # 3 of 3

_____ view is used to see the granule size that is being used by an instance.

Select the correct option

- ○ VSGAINFO
- ○ VSSAINFO
- ◉ VSSGAINFO
- ○ VSGAINFO


Pre-Assessment

Question # 1 of 2

Any data block (changes in data) in buffer cache is written into data file using DBWR, called_____.

Select the correct option

- ○ DBWR Buffer
- ◉ Dirty Buffer
- ○ Logfile
- ○ Cache log



Assessment Quiz

Pre-Assessment

Question # 1 of 2

Any data block (changes in data) in buffer cache is written into data file using DBWR, called_____

Select the correct option

- DBWR Buffer
- Dirty Buffer
- Logfile
- Cache log

Type here to search

Pre-Assessment

Question # 2 of 2

Any data block (changes in data) in buffer cache is written into data file using DBWR, called_____

Select the correct option

- ○ Cache log
- ○ Logfile
- ● DBWR Buffer
- ○ Dirty Buffer

Type here to search

Assessment Quiz

Pre-Assessment

Question # 1 of 2

The _____ portion of the SGA contains the library cache, the dictionary cache, buffers for parallel execution messages, and control structures.

Select the correct option

- ○ PMON
- ○ Logfile
- ◉ Buffer cache
- ○ Shared pool

Type here to search

Pre-Assessment

Question # 2 of 2

All SGA components allocate and deallocate space in units of _____.

Select the correct option

- ○ Bytes
- ○ Bits
- ○ Unit
- ● Granules

Assessment Quiz

Pre-Assessment

Question # 1 of 2

Which is not a component of SGA memory?

Select the correct option

- ○ Buffer cache
- ○ Shared pool
- ○ Java pool
- ◉ Logfile

Type here to search

Pre-Assessment

Question # 1 of 2

_____ view is used to see the granule size that is being used by an instance

Select the correct option

- (●) V$GAINFO
- ( ) V$SGAINFO
- ( ) V$SAINFO
- ( ) VSGAINFO

Question # 1 of 2

_____ view is used to see the granule size that is being used by an instance.

Select the correct option

○	V$GAINFO
●	V$SGAINFO
○	V$SAINFO
○	VSGAINFO

Question # 2 of 2

Each oracle data file can contain maximum _____ data blocks.

Select the correct option

- ○ 3 million
- ○ 1 million
- ● 4 million
- ○ 2 million

Type here to search

Assessment Quiz

Pre-Assessment

Question # 1 of 2

The _____ view provides information that helps you decide on a value for SGA_TARGET.

Select the correct option

- (●) V$SGA_TARGET_ADVICE
- ( ) V$SGA_ ADVICE
- ( ) V$SGA_TARGET
- ( ) VSGA_TARGET_ADVICE

Type here to search

Pre-Assessment

Question # 1 of 2

If your db_block_size is 8kb, then your maximum data file size is_____.

Select the correct option

- ○ 30 GB
- ○ 8 GB
- ○ 28 GB
- ◉ 32 GB

vulms.vu.edu.pk

Assessment Quiz

Pre-Assessment

Question # 1 of 2

A/an_____ is a type of data backup that contains all the data in a specific database or set of file groups or files, and also enough log to allow for recovering that dat

Select the correct option

- Full Backup
- Complete Backup
- All Backup
- Partial Backup

Type here to search

Assessment Quiz

Pre-Assessment

Question # 2 of 2

_____is a process of copying data records from a SQL Server database, or log records from its transaction log

Select the correct option

- ○ Log
- ◉ Backup
- ○ Record
- ○ Copying

Type here to search

Pre-Assessment

Question # 2 of 2

Every Oracle Database has a _____ which is a small binary file that records the physical structure of the database.

Select the correct option

- Control file
- Table file
- Data file
- Logfile

Question # 1 of 2

Which of the following is not a component of the Control file?

Select the correct option

○	Timestamp of the database creation
○	Database name
◉	Tablespace memory
○	Current log sequence number

Pre-Assessment

Question # 2 of 2

Every Oracle Database has a _____, which is a small binary file that records the physical structure of the database.

Select the correct option

- ○ Data file
- ◉ Control file
- ○ Table file
- ○ Logfile

Type here to search

Assessment Quiz

Pre-Assessment

Question # 2 of 2

If the database is open, shut down the database normally if possible. Use the IMMEDIATE or _____ clauses only as a last resort.

Select the correct option

◉	ABORT
○	CLOSE
○	EXIT
○	QUIT

Pre-Assessment

Question # 1 of 2

Which of the following SQL statement is used to Back up the control file to a binary file (duplicate of the existing control file)?

Select the correct option

○	MODIFY DATABASE BACKUP CONTROLFILE TO '/oracle/backup/control.bkp';
○	CREATE DATABASE BACKUP CONTROLFILE TO '/oracle/backup/binary.bkp';
●	ALTER DATABASE BACKUP CONTROLFILE TO '/oracle/backup/control.bkp';
○	EDIT DATABASE BACKUP CONTROLFILE TO '/oracle/backup/control.bkp';

Assessment Quiz

Pre-Assessment

Question # 2 of 2

Which of the following SQL statement is used to find the trace file for your current session?

Select the correct option

- SELECT VALUE FROM V$DIAG_INFO WHERE NAME = 'Session Trace File';
- SELECT VALUE FROM V$DIAG_INFO WHERE NAME = 'Default Trace File';
- SELECT VALUE FROM V$DIAG_INFO WHERE NAME = 'Current Trace File';
- SELECT VALUE FROM V$DIAG_INFO WHERE NAME = 'Trace File';

Assessment Quiz

Pre-Assessment

Question # 1 of 2

_____ are stored in the Automatic Diagnostic Repository (ADR), in the trace directory under each ADR home.

Select the correct option

- ○ Redo files
- ○ ADR files
- ◉ Trace files
- ○ Back up files

Type here to search

Pre-Assessment

Question # 1 of 2

_____ is a flag in the control file, that gives the status of the file when seen by the data dictionary but actually does not exist on disk.

Select the correct option

- ○ MISSINGn
- ◉ MISSINGnnnn
- ○ MISSING
- ○ MISSINGnn

Pre-Assessment

Question # 3 of 3

The redo log file that LGWR is actively writing to is called the _____.

Select the correct option

- (●) Current redo log file
- ( ) Present redo log file
- ( ) First redo the log file
- ( ) Active redo log file

Assessment Quiz

Pre-Assessment

Question # 2 of 3

A _____ is the point at which the database stops writing to one redo log file and begins writing to another.

Select the correct option

○	Log archive
◉	Log switch
○	Log backup
○	Log writing

Assessment Quiz

Pre-Assessment

Question # 1 of 3

The most crucial structure for recovery operations is the _____

Select the correct option

- (●) Redo log
- ( ) Archive file
- ( ) Logfile
- ( ) Back up

Post-Assessment

Question # 3 of 3

Minimum size permitted to Redo Log File is _____.

Select the correct option

○	3MB
●	4MB
○	5MB
○	6MB

Assessment Quiz

Pre-Assessment

Question # 1 of 2

_____ redo log means that two or more identical copies of the redo log can be automatically maintained in separate locations.

Select the correct option

○	Singleplexed
○	Unitplexed
●	Multiplexed
○	Uni- plexed

Type here to search

vulms.vu.edu.pk

Assessment Quiz

Pre-Assessment

Question # 2 of 2

To create new redo log members for an existing group, use the SQL statement ALTER DATABASE with the _____ clause.

Select the correct option

- (●) ADD LOGFILE MEMBER
- ( ) ADD REDO MEMBER
- ( ) ADD FILE MEMBER
- ( ) ADD LOG MEMBER

Pre-Assessment

Question # 1 of 2

To create a new group of redo log files, use the SQL statement _____ with the ADD LOGFILE clause.

Select the correct option

- ( ) MODIFY DATABASE
- ( ) EDIT DATABASE
- (•) ALTER DATABASE
- ( ) CREATE DATABASE

Course Content

vulms.vu.edu.pk

Assessment Quiz

Post-Assessment

Question # 3 of 3

To _____ redo log members, you must have the ALTER DATABASE system privilege.

Select the correct option

- ○ Redo
- ○ Recreate
- ◉ Rename
- ○ Undo

Course Content

vulms.vu.edu.pk

Assessment Quiz

Post-Assessment

Question # 2 of 3

Before relocating your redo logs, or making any other structural changes to the database, you should completely _____ the database.

Select the correct option

- EDIT
- CREATE
- MODIFY
- BACKUP

Question # 1 of 2

_____ procedure is necessary, if the disk currently used for some redo log files is going to be removed.

Select the correct option

- ○ Creating redo logs
- ◉ Relocating redo logs
- ○ Backup redo logs
- ○ Locating redo logs

Pre-Assessment

Question # 2 of 2

To _____ redo log members, you must have the ALTER DATABASE system privilege.

Select the correct option

- (●) Rename
- ( ) Redo
- ( ) Undo
- ( ) Recreate

Pre-Assessment

Question # 2 of 2

An instance always requires at least _____ valid groups of redo log files, regardless of the number of members in the groups.

Select the correct option

- One
- Four
- Two
- Three

Pre-Assessment

Question # 1 of 2

To drop a redo log group, you must have the _____ system privilege.

Select the correct option

- (●) ALTER DATABASE
- ( ) ADD DATABASE
- ( ) EDIT DATABASE
- ( ) UPDATE DATABASE

Instructor's Reply

Type here to search

Post-Assessment

Question # 3 of 3

By default, a log switch occurs automatically when the current redo log file group _____

Select the correct option

- ○ Blocks
- ○ Halts
- ○ Stops
- ● Fills

Pre-Assessment

Question # 2 of 2

Which of the following SQL statement forces a log switch?

Select the correct option

- ○ ALTER SWITCH LOGFILE;
- ○ ALTER REDO SWITCH LOGFILE;
- ○ SYSTEM SWITCH LOGFILE;
- ◉ ALTER SYSTEM SWITCH LOGFILE;

Type here to search

Pre-Assessment

Question # 1 of 2

Oracle Database uses the _____ to detect corruption in a redo log block.

Select the correct option

- (●) Checksum
- ( ) Clustering
- ( ) Mod
- ( ) Classification

Pre-Assessment

Question # 2 of 2

Which of the following is correct statement to clear the log file?

Select the correct option

- ○ Clear DATABASE LOGFILE GROUP 3;
- ○ ALTER DATABASE LOGFILE GROUP 3;
- ○ ALTER DATABASE CLEAR GROUP 3;
- ● ALTER DATABASE CLEAR LOGFILE GROUP 3;

Instructor's Reply

Pre-Assessment

Question # 1 of 2

A _____ might become corrupted while the database is open, and ultimately stop database activity because archiving cannot continue

Select the correct option

○	Redo file log
●	Redo log file
○	Log file
○	Redo file

Instructor's Reply

Type here to search

Pre-Assessment

Question # 1 of 2

_____ view displays the redo log file information from the control file.

Select the correct option

- ○ V$LOGFILE
- ◉ V$LOG
- ○ V$REDOLOG
- ○ V$LOG_HISTORY

Question # 2 of 2

_____ view contains log history information.

Select the correct option

- ○ VSLOGHISTORY
- ○ VLOG_HISTORY
- ◉ VSLOG_HISTORY
- ○ VS HISTORY

Assessment Quiz

Pre-Assessment

Question # 2 of 2

An _____ is a copy of the filled members of a redo log group with log sequence number.

Select the correct option

- archived redo file
- Archived redo log file
- Archived log file
- archived group redo log file

Pre-Assessment

Question # 1 of 2

The process of turning redo log files into archived redo log files is called_____.

Select the correct option

- ○ Redo archiving
- ○ Redo log archiving
- ◉ Archiving
- ○ Log archiving

Post-Assessment

Question # 1 of 3

The archive Destinations status _____ indicates the availability state of the location and whether the database can use the destination.

Select the correct option

- ○ Valid/invalid
- ○ Available/unavailable
- ○ Active/inactive
- ◉ Enabled/Disabled

Type here to search

vulms.vu.edu.pk/LessonViewer.aspx

Assessment Quiz

Pre-Assessment

Question # 1 of 2

The archive Destinations status _____ indicates whether the disk location or service name information is specified and valid

Select the correct option

- (●) Valid/invalid
- ( ) Valid
- ( ) Specified/Unspecified
- ( ) Invalid

Assessment Quiz

Post-Assessment

Question # 3 of 3

Which of the following dynamic performance view displays all redo log groups for the database and indicates which need to be archived?

Select the correct option

- (●) V$LOG
- ( ) V$ARCHIVED_LOG
- ( ) V$BACKUP_REDOLOG
- ( ) V$LOG_HISTORY

vulms.vu.edu.pk/LessonViewer.aspx

Assessment Quiz

Pre-Assessment

Question # 2 of 2

Which of the following dynamic performance view shows if the database is in ARCHIVELOG or NOARCHIVELOG mode and if MANUAL (archiving mode) has been specified?

Select the correct option

- (●) V$DATABASE
- ( ) V$LOG
- ( ) V$LOG_HISTORY
- ( ) V$BACKUP_REDOLOG

Pre-Assessment

Question # 1 of 2

Which of the following dynamic performance view displays all redo log groups for the database and indicates which need to be archived?

Select the correct option

- (●) V$BACKUP_REDOLOG
- ( ) V$ARCHIVED_LOG
- ( ) V$LOG
- ( ) V$LOG_HISTORY

Assessment Quiz

Pre-Assessment

Question # 2 of 2

Which of the following dynamic performance view displays information about the state of the various archive processes for an instance?

Select the correct option

- (●) V$ARCHIVE_PROCESSES
- ( ) V$LOG_HISTORY
- ( ) V$LOG
- ( ) V$BACKUP_REDOLOG

Type here to search

Assessment Quiz

Post-Assessment

Question # 1 of 3

Which of the following is not a characteristic of SYSTEM tablespace?

Select the correct option

- Eases space administration
- Created with the database
- Contains the SYSTEM undo segment
- Contains the data dictionary

Pre-Assessment

Question # 1 of 2

_____ is an amount of storage space used by the database files and their access path structure on disk including indexes.

Select the correct option

- ○ Structure Utilization
- ◉ Space Utilization
- ○ Disk Utilization
- ○ Memory Utilization

Type here to search

Pre-Assessment

Question # 1 of 2

_____ in oracle is also influenced by factors not under control of DBMS, factors are communication, scheduling and operating system etc

Select the correct option

- ○ Operational time
- ○ Transaction time
- ○ Reaction time
- ◉ Response time

Pre-Assessment

Question # 2 of 2

_____ known as average number of transactions processed per minute. It is measured at peak conditions on the system.

Select the correct option

- ○ Transaction output
- ● Transaction Throughput
- ○ Average transaction
- ○ Transaction Utilization

sment Quiz

Pre-Assessment

Question # 2 of 2

_____ (Logical Level) can belongs to only one database at a time.

Select the correct option

- Logical Space
- Table
- Tablespace
- Schema

Assessment Quiz

Pre-Assessment

Question # 1 of 2

Which of the following is not a characteristic of SYSTEM tablespace?

Select the correct option

- Contains the data dictionary
- Does space administration
- Created with the database
- Contains the undo data segment

vulms.vu.edu.pk

Assessment Quiz

Pre-Assessment

Question # 1 of 2

_____ (Physical Level) can belongs to only one tablespace and one database.

Select the correct option

- Redo file
- Logical Space
- Table
- Data file

Type here to search

Assessment Quiz

Post-Assessment

Question # 3 of 3

Which of the following is not a characteristic of Locally-Managed Tablespaces?

Select the correct option

- (●) Each segment stored in the tablespace can have a different storage clause
- ( ) No undo generated when space allocation or deallocation occurs
- ( ) No coalescing required
- ( ) Reduced contention on data dictionary tables

Type here to search

Course Content

vulms.vu.edu.pk

Assessment Quiz

Post-Assessment

Question # 1 of 3

Which of the following is not a view for Big file Tablespaces?

Select the correct option

- DBA_TABLESPACES
- V$TABLESPACE
- ADMIN_TABLESPACES
- USER_TABLESPACES

Type here to search

Post-Assessment

Question # 3 of 3

_____ tablespaces can reduce the number of data files needed for a database

Select the correct option

- Log file
- Bigfile
- Data file
- Redo file

Pre-Assessment

Question # 1 of 2

The extents are managed within the tablespace via bitmaps known as _____

Select the correct option

- ○ Currently managed tablespaces
- ◉ Locally managed tablespaces
- ○ Dictionary managed tablespaces
- ○ Local tablespaces

vulms.vu.edu.pk

Assessment Quiz

Pre-Assessment

Question # 1 of 2

Which of the following is not a characteristic of dictionary-Managed Tablespaces?

Select the correct option

- Each segment stored in the tablespace can have a different storage clause
- Extents are managed in the data dictionary
- Reduced contention on data dictionary tables
- No coalescing required

Type here to search

vulms.vu.edu.pk

Assessment Quiz

Pre-Assessment

Question # 2 of 2

_____ tablespaces can reduce the number of data files needed for a database

Select the correct option

- Data file
- Bigfile
- Redo file
- Log file

Type here to search

Pre-Assessment

Question # 1 of 2

Which of the following is not a correct requirement to make tablespace read only?

Select the correct option

- ○ Tablespace must be online
- ○ Tablespace cannot be the active undo tablespace or SYSTEM tablespace
- ● Tablespace should be temporary
- ○ Tablespace must not currently be involved in an online backup, because the end of a backup updates the header file of all data

Course Content

vulms.vu.edu.pk

Assessment Quiz

Pre-Assessment

Question # 1 of 2

While making Tablespace Read only, the tablespace cannot be a temporary

Select the correct option

- Redo log
- Tablespace
- Data file
- Data log

Type here to search

Assessment Quiz

Post-Assessment

Question # 1 of 3

Renaming the data files changes their names in the_____.

Select the correct option

- (●) Control file
- ( ) Tablespace
- ( ) Data file
- ( ) Log file

Type here to search

Question # 1 of 2

Which of the following SQL command use to make tablespace "userdata" in read only?

Select the correct option

○	ALTER TABLESPACE READ ONLY;
◉	ALTER TABLESPACE userdata READ ONLY;
○	ALTER TABLESPACE;
○	ALTER userdata READ ONLY;

Pre-Assessment

Question # 1 of 2

To rename the datafile, we use _____ TABLESPACE command with the RENAME DATAFILE clause.

Select the correct option

- ○ EDIT
- ◉ ALTER
- ○ CREATE
- ○ MODIFY

Question # 3 of 3

An error is raised if you specify a/an _____ clause for a bigfile tablespace.

Select the correct option

◉	ADD DATAFILE
○	EDIT DATAFILE
○	ALTER DATAFILE
○	UPDATE DATAFILE

Pre-Assessment

Question # 2 of 2

With a bigfile tablespace, you can use the _____ clause outside of the ADD DATAFILE clause.

Select the correct option

- (●) AUTOEXTEND
- ( ) AUTO_EXTEND
- ( ) ADDEXTEND
- ( ) ALTEREXTEND

Pre-Assessment

Question # 1 of 2

Which of the following statement is correct statement to drop a temp file and deletes its operating system file?

Select the correct option

○	DROP DATABASE TEMPFILE '/u02/oracle/data/lmtemp02.dbf' DELETE INCLUDING DATAFILES;
○	DELETE DATABASE TEMPFILE '/u02/oracle/data/lmtemp02.dbf' DROP INCLUDING DATAFILES;
○	ALTER DATABASE TEMPFILE '/u02/oracle/data/lmtemp02.dbf' DELETE INCLUDING DATAFILES;
●	ALTER DATABASE TEMPFILE '/u02/oracle/data/lmtemp02.dbf' DROP INCLUDING DATAFILES;

Type here to search

Post-Assessment

Question # 3 of 3

Using the RENAME TO clause of the_____, you can rename a permanent or temporary tablespace.

Select the correct option

- ○ EDIT TABLESPACE
- ◉ ALTER TABLESPACE
- ○ CREATE TABLESPACE
- ○ ADD TABLESPACE

Pre-Assessment

Question # 2 of 2

You must have the _____ system privilege to drop a tablespace.

Select the correct option

- ( ) QUIT TABLESPACE
- ( ) DROP TABLE
- ( ) DELETE TABLESPACE
- (•) DROP TABLESPACE

Question # 1 of 2

If any data file or the tablespace is _____ then the tablespace cannot be renamed

Select the correct option

- (●) Offline
- ( ) Active
- ( ) Backup
- ( ) Online

Post-Assessment

Question # 3 of 3

Which of the following is a **DBMS_SPACE_ADMIN** procedure package that is used to mark the segment corrupt or valid so that appropriate error recovery can be done?

Select the correct option

- ○ SEGMENT_DROP_CORRUPT
- ○ MATERIALIZE_DEFERRED_SEGMENTS
- ○ SEGMENT_DUMP
- ◉ SEGMENT_CORRUPT

Type here to search

Question # 2 of 2

_____ tablespace is used to reduce the load managed by SYSTEM tablespace.

Select the correct option

- ○ OBJECT
- ○ SCHEMA
- ◉ SYSAUX
- ○ TEMPORARY

Question # 1 of 2

The SYSAUX tablespace serves as an _____ tablespace to the SYSTEM tablespace.

Select the correct option

- ○ Secondary
- ○ Temporary
- ◉ Auxiliary
- ○ Primary

Pre-Assessment

Question # 1 of 2

You can monitor the occupants of the SYSAUX tablespace using the _____ view.

Select the correct option

- (●) V$SYSAUX_OCCUPANTS
- ( ) VSYSAUX_OCCUPANTS
- ( ) V$SYS_OCCUPANTS
- ( ) V$SYSAUX

Post-Assessment

Question # 3 of 3

Which of the following is correct command to export data of tablespaces on source database?

Select the correct option

- (●) C:\>exp usr/pwd file=c:\test\f1.dmp
- ( ) C:\>exp usr/pwd =c:\test\f1.dmp
- ( ) C:\>exp usr/pwd file=c:\test\f1
- ( ) C:\>exp usr/ file=c:\test\f1.dmp

Pre-Assessment

Question # 2 of 2

Which of the following is a **DBMS_SPACE_ADMIN** procedure package that is used to drop a segment currently marked corrupt (without reclaiming space)

Select the correct option

- ○ SEGMENT_CORRUPT
- ○ SEGMENT_DUMP
- ◉ SEGMENT_DROP_CORRUPT
- ○ MATERIALIZE_DEFERRED_SEGMENTS

Assessment Quiz

Pre-Assessment

Question # 2 of 2

Which of the following is a **DBMS_SPACE_ADMIN** procedure package that is used to drop a segment currently marked corrupt (without reclaiming space)?

Select the correct option

- ○ SEGMENT_CORRUPT
- ○ SEGMENT_DUMP
- ◉ SEGMENT_DROP_CORRUPT
- ○ MATERIALIZE_DEFERRED_SEGMENTS

Type here to search

Pre-Assessment

Question # 1 of 2

Oracle Database includes the _____ package, which is a collection of aids for diagnosing and repairing problems in locally managed tablespaces

Select the correct option

- ○ DBMS_ MANAGE _ADMIN
- ◉ DBMS_SPACE_ADMIN
- ○ DBMS_ REPAIR _ADMIN
- ○ DBMS_ DIAGNOSE _ADMIN

Type here to search

Assessment Quiz

Pre-Assessment

Question # 2 of 2

Which of the following is correct command to import data of tablespaces on target database?

Select the correct option

- C:\>exp usr/pwd =c:\test\f1.dmp
- C:\>exp usr/pwd file=c:\test\f1.dmp
- C:\>exp usr/ file=c:\test\f1.dmp
- C:\>exp usr/pwd file=c:\test\file

Instructor's Reply

Type here to search

Pre-Assessment

Question # 2 of 2

_____ tablespace is required when database is created and when database is getting start using.

Select the correct option

- (●) SYSTEM
- ( ) User
- ( ) Data
- ( ) Admin

Pre-Assessment

Question # 1 of 2

Which of the following is correct command to import data of tablespaces on target database?

Select the correct option

- (●) C:\>exp usr/pwd =c:\test\f1.dmp
- ( ) C:\>exp usr/pwd file=c:\test\file
- ( ) C:\>exp usr/pwd file=c:\test\f1.dmp
- ( ) C:\>exp usr/ file=c:\test\f1.dmp

Post-Assessment

Question # 2 of 2

A _____ is assigned to a group of temp tablespaces instead of a single temporary tablespace.

Select the correct option

- ○ Data
- ● User
- ○ Log file
- ○ Control file

Post-Assessment

Question # 1 of 2

A _____ is assigned to a group of temp tablespaces instead of a single temporary tablespace.

Select the correct option

○	Control file
●	Log file
○	User
○	Data

Post-Assessment

Question # 2 of 2

Temporary Tablespace Group allows a single _____ operation to use _____ temporary Tablespaces for sorting.

Select the correct option

○	SQL double
●	SQL multiple
○	SQL single
○	SQL group

Instructor's Reply

Post-Assessment

Question # 1 of 2

A _____ is assigned to a group of temp tablespaces instead of a single temporary tablespace.

Select the correct option

- (●) Control file
- ( ) User
- ( ) Data
- ( ) Log file