CS411 Quiz No 2

1. XBAPs stands for:
   XAML browser application
2. Which of the following class supports data parallelism in “Task Parallel Library”?
   System.Threading.Task.Parallel
3. Which of the following object creates a cancellation token?
   CancellationtokenSource

4. --------- resource is reapplied every time it changes
   Dynamic
5. Using -------- system can support customized setup user interfaces, such as showing an end user license agreement(EULA).
   Windows Installer
6. Button and Texbox have ---------- knowledge of each other.
   No Direct
7. By default, Navigation Window ---------- a bar along with the top with Back/Forward buttons while a frame --------.
   Has, doesn’t have
8. Which of the following operation cannot be performed by using a View?
   Searching
9. ---------- can add/remove/change “CSS” properties based on input or mouse clicks.
   None of the given options
10. ---------- mode of binding is opposite to OneWay mode of binding.
    OneWay To source
11. To remove data binding between the source and the target, we can use _____ function.
    ClearBinding
12. “JavaScript” is _____ Side Scripting Language.
    Client
13. "Binding" technique binds two properties together and keeps a _____ open.
    Communication Channel
14. HTML is called _____ layer.
    Structural
15. If you want to navigate to an HTML page, you must use the ---------- of “Navigate” that --------- a URL.
    Overload, accepts
16. “async” and _____ keywords in C# are the heart of asynchronous programing.
    Await
17. While dealing with "threads" in ".Net", one can avoid performance bottlenecks and enhance the overall responsiveness of his / her application by using _____ programming.
    Asynchronous programming
18. _____ is used to perform navigation.
    Hyperlink

CS411 Quiz No 2

19. In C# WPF, we can perform sorting through View by using an object of ---------- class.
    SortDescription
20. HTML is a _____ helper function.
    jQuery
21. What is the purpose of the following "JQuery" code? $(„#navbar a‟)
    Find all the element whose ID is navbar and then find a descendent a
22. Which one of the following is used , if we want to add a window resource in procedural code?
    <Window.Resources></Window.Resources>
23. _____ provides the logic behind the "Back" and "Forward" buttons.
    Journal
24. A/An _____ screen is an image that appears while a game or program is loading
    Splash
25. Which of the following C# Method reports a progress change?
    OnReport
26. Threadpool is used to _____.
    To save time of thread creation
27. An event that is raised whenever the value of "CanExecute" changes is known as _____.
    CanExecuteChanged
28. A Window can spawn _____ number of additional Windows by instantiating a Window-derived Class and calling Show (...).
    Any
29. which of the following is not a "JQuery" filter?
    Write
30. In case of integrating Navigation to XBAP, "ShowNavigationUI" should be set to _____ in order to bypass integration.
    False
31. _____ is more than one thing happening at the same time.
    Concurrency
32. “Editable Grid” is an Example of ---------- mode of binding in context of data binding.
    OneWay
33. In C# WPF, we use “GetDefaultView” method of ---------- to get the default View.
    CollectionViewSource
34. Which of the following is not a string format property throughout WPF?
    RowHeaderStringFormat
35. Which of the following is correct way to temporarily stop execution of a thread object named as “myThread” for 500 milisec?
    myThread.Sleep(500);
36. Identify the Correct Option
    A control that supports an-event does not support a command

CS411 Quiz No 2

37. In _____ browser app, you change
    “<TargetZone>Internet</TargetZone>” to
    “<TargetZone>Custom</TargetZone>”

    Full trust
38. "JavaScript" _____is available in web browser.
    Interpreter
39. To plug custom logic, you need to add a _____ to the element that will execute the command or any parent element.
    CommandBinding
40. A class that implements the „ICommand‟ and supports „bubbling‟ just like a routed event is known as _____.
    RoutedUICommand
41. _____ are high order functions that compose, combine, or otherwise modify functions in useful and interesting ways.
    Combinators
42. XBAPs are suited for relatively full-featured applications that:
    Happen to be hosted directly in a web browser