VIRTUAL UNIVERSITY OF PAKISTAN

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922
TEAM HADI(VU LAHORE)

We Deal All Kind of VU Project
(PHP, .NET,ANDROID,PYTHON)

MID TERM PAST PAPER

MADE AND SOLVED BY HADI

WARNING: Team HADI is not responsible for any mistake or wrong answer. All students reading and using this document may check and confirm the answers at their own.

WhatsApp:03087122922

FACEBOOK ID: https://www.facebook.com/hadipastpapers/

Best of luck!

PAST PAPER

TEAM HADI(VU DEHS SOFTWARE HOUSE

Question No : 1 of 26 Marks: 1 (Budgeted Time 1 Min)

Unlike programs, algorithms to be understood primarily by _____ and_____

Answer (Please select your correct option)

- Machines, not people
- Mathematical expressions, not algebraic expressions
- Programmers, not machines
- RAM, not programmer



correct answer solve
by hadi

MADE BY HADI

TEAM HADI(VU)BHS SOFTWARE HOUSE

Question No : 2 of 26 Marks: 1 (Budgeted Time 1 Min)

Recurrences are useful for analyzing

Answer (Please select your correct option)

- Recursive Algorithms
- Simple Algorithms
- Parallel Algorithms
- Parallel Algorithms & Recursive Algorithms

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

TEAM HADI(VU)BHS SOFTWARE HOUSE

Question No : 3 of 26 Marks: 1 (Budgeted Time 1 Min)

Divide-and-conquer involves breaking the problem into a small number of

Answer (Please select your correct option)

- pivot
- Sub problems
- Selection
- Sieve



correct answer solve
by hadi

MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)
TEAM HADI(VU)BHS SOFTWARE HOUSE

Question No : 4 of 26 Marks: 1 (Budgeted Time 1 Min)

In which order we can sort?

Answer (Please select your correct option)

- increasing order or decreasing order 
- both at the same time
- increasing order only
- decreasing order only

correct answer solve
by hadi

MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)


TEAM HADI(VU)BHS SOFTWARE HOUSE

Question No : 5 of 26 Marks: 1 (Budgeted Time 1 Min)

Comparison based sorting algorithms can not run faster than

Answer (Please select your correct option)

- Ω (n log n)
- O (n log n)
- Ω (n^2)
- O (n^2)



A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:-hadirajputofficial@gmail.com
WHATSAPP& CALL:-03087122922

MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

TEAM HADI(VU)BHS SOFTWARE HOUSE

Question No : 6 of 26 Marks: 1 (Budgeted Time 1 Min)

In Quick sort, we don't have the control over the sizes of recursive calls

Answer (Please select your correct option)

- True
- False
- Less information to decide
- Either true or false



correct answer solve
by hadi

MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

TEAM HADI(VU)BHS SOFTWARE HOUSE

Question No : 7 of 26 Marks: 1 (Budgeted Time 1 Min)

Who invented Quick sort procedure?

Answer (Please select your correct option)

- Hoare 
- Sedgewick
- Mellroy
- Coreman

correct answer solve
by hadi

MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

TEAM HADI(VU)BHS SOFTWARE HOUSE

Question No : 8 of 26 Marks: 1 (Budgeted Time 1 Min)

Counting sort assumes that the numbers to be sorted are in the range 1 to k, where k is

Answer (Please select your correct option)

- Small
- Large
- No restriction on k
- None of these

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL:hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

TEAM HADI(VU)BEST SOFTWARE HOUSE

Question No : 9 of 26 Marks: 1 (Budgeted Time 1 Min)

If there are $\Theta(n^2)$ entries in edit distance matrix then the total running time is

Answer (Please select your correct option)

- $\Theta(1)$
- $\Theta(n^2)$
- $\Theta(n)$
- $\Theta(n \log n)$



correct answer solve
by hadi

MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)
TEAM HADI(VU)BHS SOFTWARE HOUSE

Question No : 10 of 26 Marks: 1 (Budgeted Time 1 Min)

When a recursive algorithm revisits the same problem over and over again, we say that the optimization problem has _____ sub-problems.

Answer (Please select your correct option)

- Overlapping
- Over costing
- Optimized
- None of these

MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)
TEAM HADI(VU)BHS SOFTWARE HOUSE

Question No : 11 of 26 Marks: 1 (Budgeted Time 1 Min)

A p × q matrix A can be multiplied with a q × r matrix B. The result will be a p × r matrix C. In particular, for $1 \leq i \leq p$ and $1 \leq j \leq r$,

Answer (Please select your correct option)

- $C[i, j] = \sum_{k=1}^{q} A[i,k]B[k,j]$
- $C[i, j] = \sum_{k=1}^{q} A[k,i]B[k,j]$
- $C[i, j] = \sum_{k=1}^{q} A[k,i]B[j,k]$
- None of these

MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)
TEAM HADI(VU)BHS SOFTWARE HOUSE

Question No : 12 of 26 Marks: 1 (Budgeted Time 1 Min)

We can find the product A x B of matrices A and B, only if they are compatible which means,

Answer (Please select your correct option)

- No of Columns of A must be equal to No of Rows of B
- No of Columns of A must be equal to No of Columns of B
- No of Rows of A must be equal to No of Rows of B
- Order of A must be equal to order of B



correct answer solve
by hadi

MADE BY HADI

TEAM HADI (VU)BHS SOFTWARE HOUSE

Question No : 13 of 26 Marks: 1 (Budgeted Time 1 Min)

Time complexity of chain matrix multiplication is $\Theta(n^3)$ and space complexity is

Answer (Please select your correct option)

- $\Theta(n^2)$ 
- $\Theta(n^3)$
- $\Theta(n \log n)$
- $\Theta(\log n)$

A Good Education is a Foundation For a Better Future
CORRECT ANSWER SOLVED BY HADI
EMAIL-hadirajputofficial@gmail.com
WHATSAPP& CALL:03087122922

MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

TEAM HADI(VU)BHS SOFTWARE HOUSE

Question No : 14 of 26 Marks: 1 (Budgeted Time 1 Min)

Computational model of sequential RAM is:

Answer (Please select your correct option)

- Parallel machines may be expensive to model and have more computational power than sequential RAM.
- Computational power of sequential RAM is same as that of parallel machines only time efficiency is achieved with parallel machines
- Both first and second options are true for the statement
- Less powerful computational wise than parallel machines



MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)
TEAM HADI(VU)BHS SOFTWARE HOUSE

Question No : 15 of 26 Marks: 1 (Budgeted Time 1 Min)

The worst case running time of the algorithm given below is,

```
MAXIMA(int n, Point P[1...n])
1  for i ← 1 to n        n times
2  do maximal ← true
```

Answer (Please select your correct option)

- $\Theta(n^6)$
- $\Theta\left(n^{\frac{2n}{6}}\right)$
- $\Theta(n^2)$
- $\Theta(2n \lg 6)$

correct answer solve
by hadi

MADE BY HADI

TEAM HADI(VU)BHS SOFTWARE HOUSE

Question No : 15 of 26 Marks: 1 (Budgeted Time 1 Min)

```
1  for i ← 1 to n          n times
2  do maximal ← true
3     for j ← 1 to n       n times
4     do
5        if (i ≠ j)&(P[i].x < P[j].x)&(P[i].u < P[j].u)   4 accesses
```

Answer (Please select your correct option)

- $\Theta(n^6)$
- $\Theta\left(n^{\frac{2n}{6}}\right)$
- $\Theta(n^2)$
- $\Theta(2n \lg 6)$

correct answer solve
by hadi

MADE BY HADI

TEAM HADI(VU)BHS SOFTWARE HOUSE

Question No : 15 of 26 Marks: 1 (Budgeted Time 1 Min)

```
3     for j ← 1 to n        n times
4     do
5        if (i ≠ j)&(P[i].x ≤ P[j].x)&(P[i].y ≤ P[j].y)    4 accesses
6           then maximal ← false break
7     if maximal
```

Answer (Please select your correct option)

- $\Theta(n^6)$
- $\Theta\left(n^{\frac{2n}{6}}\right)$
- $\Theta(n^2)$ ⇦ correct answer solve by hadi
- $\Theta(2n \lg 6)$

MADE BY HADI

TEAM HADI(VU)BHS SOFTWARE HOUSE

Question No : 15 of 26 Marks: 1 (Budgeted Time 1 Min)

```
5        if (i ≠ j)&(P[i].x ≤ P[j].x)&(P[i].y ≤ P[j].y)   4 accesses
6          then maximal ← false break
7      if maximal
8        then  output P[i].x, P[i].y   2 accesses
```

Answer (Please select your correct option)

- $\Theta(n^6)$
- $\Theta\left(n^{\frac{2n}{6}}\right)$
- $\Theta(n^2)$ ⇦
- $\Theta(2n \lg 6)$

correct answer solve
by hadi

MADE BY HADI

TEAM HADI(VU)BHS SOFTWARE HOUSE

Question No : 16 of 26 Marks: 1 (Budgeted Time 1 Min)

In Sieve Technique, we know _____

Answer (Please select your correct option)

- Item of ineterst
- Order of items
- complexity of items
- All items are of ineterst



correct answer solve
by hadi

[redacted]

TEAM HADI(VU)BHS SOFTWARE HOUSE

Question No : 17 of 26 Marks: 1 (Budgeted Time 1 Min)

In Random access machine, instructions are executed _____.

Answer (Please select your correct option)

- five at a time
- infinite instructions at a time
- one-by-one
- parallel



correct answer solve
by hadi

MADE BY HADI

TEAM HADI(VU)BHS SOFTWARE HOUSE

Question No : 18 of 26 Marks: 1 (Budgeted Time 1 Min)

Which type of instructions Random Access Machine (RAM) can execute? Choose best answer

Answer (Please select your correct option)

- Algebraic and logic
- Geometric and arithmetic
- Arithmetic and logic
- Parallel and recursive



correct answer solve
by hadi

MADE BY HADI

TEAM HADI(VU)BHS SOFTWARE HOUSE

Question No : 19 of 26 Marks: 1 (Budgeted Time 1 Min)

Which of the following is calculated with **Big O notation**?

Answer (Please select your correct option)

- Medium bounds
- Lower bounds
- Upper bounds
- Both upper and lower bound



correct answer solve
by hadi

MADE BY HADI

TEAM HADI VUBHS SOFTWARE HOUSE

Question No : 20 of 26 Marks: 1 (Budgeted Time 1 Min)

Which of the following functions grows fastest as n gets larger?

Answer (Please select your correct option)

- $n^{10}2^n$
- $n^8 3^n$
- $n^5 5^n$
- $n^3 2^{2n}$

TEAM HADI(VU)BHS SOFTWARE HOUSE

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 21 of 26 Marks: 2 (Budgeted Time 4 Min)

What is the essential constraint for the Counting Sort?

Answer (Please click here to Add Answer)



TEAM HADI(VU)BHS SOFTWARE HOUSE

Question No : 22 of 26 Marks: 2 (Budgeted Time 4 Min)

How we proceed with m entries in cost table for chain matrix multiplication problem?

Answer (Please click here to Add Answer)




MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)
TEAM HADI(VU)BHS SOFTWARE HOUSE

Question No : 23 of 26 Marks: 3 (Budgeted Time 6 Min)

Solve it,

$$T(n) = \frac{1}{2}\sum_{q=1}^{2}(T(q-1) + T(2-q) + 2)$$

Answer (Please click here to Add Answer)




MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)
TEAM HADI(VU)BHS SOFTWARE HOUSE

Question No : 24 of 26 Marks: 3 (Budgeted Time 6 Min)

True or False: A sequence of values in a row of the dynamic programming table for an instance of the knapsack problem is always non-decreasing. Give a brief description.

Answer (Please click here to Add Answer)




MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)
TEAM HADI(VU)BHS SOFTWARE HOUSE

Question No : 25 of 26 Marks: 5 (Budgeted Time 10 Min)

Whether each of the following sorting algorithms is stable and in-place or not?

Sorting Algorithm	Stable	In-Place
Merge Sort	Yes/No	Yes/No
Heapsort	Yes/No	Yes/No
Quicksort	Yes/No	Yes/No
Counting Sort	Yes/No	Yes/No

Answer (Please click here to Add Answer)



MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)
TEAM HADI(VU)BHS SOFTWARE HOUSE

Question No : 25 of 26 Marks: 5 (Budgeted Time 10 Min)

Merge Sort	Yes/No	Yes/No
Heapsort	Yes/No	Yes/No
Quicksort	Yes/No	Yes/No
Counting Sort	Yes/No	Yes/No
Bubble Sort	Yes/No	Yes/No

Answer (Please click here to Add Answer)




MADE BY HADI
Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)
TEAM HADI(VU)BHS SOFTWARE HOUSE

Question No : 26 of 26 Marks: 5 (Budgeted Time 10 Min)

Write down the steps of dynamic programming strategy.

Answer (Please click here to Add Answer)



TEAM HADI(VU)BHS SOFTWARE HOUSE



HADI VU PAST PAPER

WE DEAL ALL KIND OF VU PROJECT
(PHP,ANDROID,PYTHON)

DEAR STUDENTS

ARE YOU LOOKING
FOR ASSISTANCE

1) ASSIGNMENTS
2) QUIZZES
3) GDB
4) GRAND QUIZZES

We Provide,You Solution of VU Academic Activities include Assignments, Quizzes,GDBs,Grand Quizze If You Need Help in Services Kindly inform us.

TEAM HADI
(VU LAHORE)

TEAM HADI
(VU LAHORE)

HADI TECH

#PAID_TASK

CONTACT US

CALL & WHATSAPP

0308-7122922